

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL SDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE USA: 1-423-780-2970) 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887) 1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

## PRODUCT NAME: ABI Power Blast 70

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Arch Chemicals, Inc.	REVISION DATE:	06/12/2017
1200 Bluegrass Lakes Parkway	SUPERCEDES:	02/10/2016
Alpharetta, GA 30004 United States of America (USA)	MSDS Number: SYNONYMS: CHEMICAL FAMILY: DESCRIPTION / USE FORMULA:	000000024566 none Hypochlorite Sanitizer and Oxidizer None established

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification		
Oxidizing solids	:	Category 2
Acute toxicity (Oral)	:	Category 4
Skin irritation	:	Category 2
Serious eye damage	:	Category 1
Acute toxicity (Inhalation)	:	Category 3
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H272 May intensify fire; oxidizer.
ABI Power Blast 70 REVISION DATE : 06/12/2017		Page 1 of 12



Arch Chemicals,

Inc.

	H302 + H332 Harmful if swallowed or if inhaled H315 Causes skin irritation. H318 Causes serious eye damage. H331 Toxic if inhaled. H335 May cause respiratory irritation.
Precautionary statements :	<ul> <li>Prevention:</li> <li>P210 Keep away from heat.</li> <li>P220 Keep/Store away from clothing/ combustible materials.</li> <li>P221 Take any precaution to avoid mixing with combustibles.</li> <li>P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P270 Do not eat, drink or smoke when using this product.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P280 Wear protective gloves/ eye protection/ face protection.</li> <li>Response:</li> <li>P301 + P312 + P330 IF SWALLOWED: Call a POISON</li> <li>CENTER/doctor if you feel unwell. Rinse mouth.</li> <li>P302 + P352 IF ON SKIN: Wash with plenty of soap and water.</li> <li>P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON</li> <li>CENTER/doctor if you feel unwell.</li> <li>P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON</li> <li>CENTER/doctor.</li> <li>P332 + P313 If skin irritation occurs: Get medical advice/ attention.</li> <li>P362 Take off contaminated clothing and wash before reuse.</li> <li>P370 + P378 In case of fire: Use water spray to extinguish.</li> <li>Morage:</li> <li>P403 + P233 Store in a well-ventilated place. Keep container tightly closed.</li> <li>P405 Store locked up.</li> <li>Disposal:</li> <li>P501 Dispose of contents/ container to an approved waste disposal plant.</li> </ul>

### Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

CAS OR CHEMICAL NAME	<u>CAS #</u>	<u>% RANGE</u>
Calcium hypochlorite	7778-54-3	60 - 80
SODIUM CHLORIDE	7647-14-5	10 - 20

<b>ÁRCH</b>	Arch Chemicals, Inc.	SAFETY DATA SHEET
Chloric acid, calcium salt (2:1)	10137-74-3	0-5
Calcium chloride	10043-52-4	0-5
Calcium hydroxide	1305-62-0	0 - 4
Calcium carbonate	471-34-1	0-5
Aqua	7732-18-5	5.5 - 10

## **SECTION 4. FIRST AID MEASURES**

General Advice:	Call a poison control center or doctor for treatment advice. For 24-hour emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Inhalation:	IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Skin Contact:	IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye Contact:	IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Ingestion:	IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Notes to Physician:	Probable mucosal damage may contraindicate the use of gastric lavage.

## **SECTION 5. FIREFIGHTING MEASURES**



This product is chemically reactive with many substances. Any contamination of the product with other substances by spill or otherwise may result in a chemical reaction and fire., This product is a strong oxidizer which is capable of intensifying a fire once started., Product is not known to be flammable, combustible or pyrophoric.
Not applicable
Not applicable
Water only. Do not use dry extinguishers containing ammonium compounds.
Use water to cool containers exposed to fire. See Section 6 for protective equipment for fire fighting.
Not applicable Not applicable
Not applicable Not applicable

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Protection for Emergency Situations:	Response to a large quantity spill (100 pounds or greater) or when dusting or decomposition gas exposure could occur requires the use of a positive pressure full face supplied air repirator or self contained breathing apparatus (SCBA), chemical resistant gloves, coveralls and boots. In case of fire, this personal protective equipment should be used in addition to normal fire fighter equipment.
Spill Mitigation Procedures	
Air Release:	Vapors may be suppressed by the use of water fog. All water utilized to assist in fume suppression, decontamination or fire suppression may be contaminated and must be contained before disposal and/or treatment.
Water Release:	This product is heavier than water. This material is soluble in water. Monitor all exit water for available chlorine and pH. Advise local authorities of any contaminated water release.
Land Release:	Contact 1-800-654-6911 immediately. DANGER: All spills of this product should be treated as contaminated. Contaminated product may initiate a chemical reaction that may spontaneously ignite any combustible material present, resulting in a fire of great intensity. In case of a spill, separate all spilled product from packaging, debris and other material. Using a clean broom or shovel, place all spilled product into plastic bags, and place those bags into a clean, dry disposal container, properly marked and labeled. Disposal containers made of plastic or metal are recommended. Do not seal disposal containers tightly. Immediately remove all product in disposal containers to an isolated area outdoors. Place all damaged packaging material in a disposal container of water to assure decontamination (i.e. removal of all product) before disposal. Place all undamaged packaging in a clean, dry container properly marked and labeled. Call for disposal procedures.



Additional Spill Information :

Hazardous concentrations in air may be found in local spill area and immediately downwind. Remove all sources of ignition. Stop source of spill as soon as possible and notify appropriate personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration. This material may be neutralized for disposal; you are requested to contact Arch Chemicals at 1-800-654-6911 before beginning any such procedure. FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC: 1-800-424-9300 REPORTABLE QUANTITY: 10 lbs. (as calcium hypochlorite) per 40 CFR 302.4.

## **SECTION 7. HANDLING AND STORAGE**

Arch

Inc.

Chemicals,

Handling:	Avoid inhalation of dust and fumes. Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Remove contaminated clothing and wash before reuse.
Storage:	Keep product tightly sealed in original containers. Store product in a cool, dry, well-ventilated area. Store away from combustible or flammable products. Keep product packaging clean and free of all contamination, including, e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrective liquida.
Shelf Life Limitations:	all corrosive liquids, flammable or combustible materials, etc. Do not store product where the average daily temperature exceeds 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products. Shelf life (that is, the period of time before the product goes below stated label strength) is determined by storage time and temperatures. Store in a cool, dry and well ventilated area. Prolonged storage at elevated temperatures will significantly shorten the shelf life. Storage in a climate controlled storage area or building is recommended in those areas where extremes of high temperature
Incompatible Materials for Storage:	occur. Do not allow product to come in contact with other materials, including e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. A chemical reaction with such substances can cause a fire of great intensity.
Do Not Store At temperatures Above:	Average daily temperature of 35° C / 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products.



## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Ventilation: Protective Equipment for Ro	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit. <u>utine Use of Product</u>
Respiratory Protection :	Wear a NIOSH approved respirator if levels above the exposure limits are possible.
Respirator Type :	A NIOSH approved full-face air purifying respirator equipped with combination chlorine/P100 cartridges. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.
Skin Protection :	Wear impervious gloves to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body. A safety shower should be provided in the immediate work area.
Eye Protection:	Use chemical goggles. Emergency eyewash should be provided in the immediate work area.
Protective Clothing Type:	Neoprene, Nitrile, Natural rubber (This includes: gloves, boots, apron, protective suit)

### Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
Calcium hydroxide (1305-62-0)	TWA	5 mg/m3	ACGIH (02 2014)

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	solid
Form	free flowing, granular
Color:	white
Odor:	No data.
Molecular Weight:	(Active ingredient)143.00 g/mol
Relative density	Not applicable
pH : Boiling Point:	10.4 - 10.8 77 °F (25 °C) Not applicable Not applicable
Density:	0.8g/cc
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Viscosity:	Not applicable
Fat Solubility:	no data available



Solubility in Water:	ca. 180 g/l 77 °F (25 °C)
Partition coefficient n- octanol/water:	no data available
Evaporation Rate:	Not applicable
Oxidizing:	None established
Volatiles, % by vol.:	Not applicable
VOC Content	Not applicable
HAP Content	Not applicable

## **SECTION 10. STABILITY AND REACTIVITY**

Stability and Reactivity Summary:	Product is not sensitive to mechanical shock or impact. Product is not sensitive to electrical static discharge. Product will not undergo hazardous polymerization. Product is an NFPA Class 3 oxidizer which can cause a severe increase in fire intensity. Not pyrophoric. Not an organic peroxide. If subjected to excessive temperatures, the product may undergo rapid decomposition, evolution of chlorine gas, and heat sufficient to ignite combustible substances. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Use copious amounts of water for fires involving this product.
Conditions to Avoid:	Do not store next to heat source, in direct sunlight, or elevated storage temperature. Do not store where the daily average temperature exceeds 95 °F. Prevent ingress of humidity and moisture into container or package. Always close the lid.
Chemical Incompatibility:	This product is chemically reactive with many substances, including, e.g., other pool treatment products, acids, organics, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, corrosive ,flammable or combustible materials. Do not allow product to contact any foreign matter, including other water treatment products. Contamination or improper use may cause a fire of great intensity, explosion or the release of toxic gases. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter.
Hazardous Decomposition Products: Decomposition Temperature:	Chlorine 170 - 180 °C - , 338 - 356 °F-

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Component Animal Toxi	<u>cology</u>	
Oral LD50 value:		
Calcium hypochlorite	LD50	850 mg/kg Rat
SODIUM CHLORIDE	LD50	3,000 mg/kg Rat
	LD50	3,550 mg/kg Rat
Calcium chloride	LD50	2,301 mg/kg Rat
A DI Douver Direct 70		



Calcium hydroxide	LD50 1,000 mg/kg Rat LD50 7,340 mg/kg Rat					
<u>Component Animal Tox</u> <u>Dermal LD50 value</u> : SODIUM CHLORIDE Calcium chloride	<u>kicology</u> LD50 > 10,000 mg/kg Rabbit LD50 > 5,000 mg/kg Rabbit					
Component Animal Tox	LD50 2,630 mg/kg Rat					
Inhalation LC50 value:						
Product Animal Toxicity Oral LD50 value: Dermal LD50 value: Inhalation LC50 value:	/ LD50 approximately 800 mg/kg Rat LD50 > 2,000 mg/kg Rabbit Inhalation LC50 1.00 h (Nose Only) > 2.04 mg/l Rat Inhalation LC50 4 h (Nose Only) > 0.51 mg/l Rat					
Skin Irritation:	DRY MATERIAL CAUSES MODERATE SKIN IRRITATION., WET MATERIAL CAUSES SKIN BURNS.					
Eye Irritation: Skin Sensitization:	Corrosive to eyes. This material is not known or reported to be a skin or respiratory sensitizer.					
Acute Toxicity: Subchronic / Chronic Toxicity:	This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract. The dry material is irritating to the skin. However when wet, it will produce burns to the skin. There are no known or reported effects from repeated exposure except those secondary to burns.					
Reproductive and Developmental Toxicity	Calcium hypochlorite has been tested for teratogenicity in laboratory animals. Results of this study have shown that calcium hypochlorite is not a teratogen.					
Mutagenicity:	Calcium hypochlorite has been tested in the Dominant lethal assay in male mice, and it did not induce a dominant lethal response. Calcium hypochlorite has been reported to produce mutagenic activity in two in vitro assays. It has, however, been shown to lack the capability to produce mutations in animals based on results from the micronucleus assay. In vitro assays frequently are inappropriate to judge the mutagenic potential of bactericidal chemicals due to a high degree of cellular toxicity. The concentration which produces mutations in these in vitro assays is significantly greater than the concentrations used for disinfection. Based on high cellular toxicity in in vitro assays and the lack of mutagenicity in animals, the risk of genetic damage to humans is judged not significant.					
Carcinogenicity: ABI Power Blast 70	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA. One hundred mice were exposed dermally 3 times a week for 18 months to a solution of calcium hypochlorite. Histopathological examination failed to show an increased					



incidence of tumors. IARC (International Agency for Research on Cancer) reviewed studies conducted with several hypochlorite salts. IARC has classified hypochlorite salts as having inadequate evidence for carcinogenicity to humans and animals. IARC therefore considers hypochlorite salts to be not classifiable as to their carcinogenicity to humans (Group 3 Substance).

## **SECTION 12. ECOLOGICAL INFORMATION**

Overview: Highly toxic to fish and other aquatic organisms.

Ecological Toxicity Values for: Calcium hypochlorite

Lepomis macrochirus (Bluegill sunfish)	-	96 h LC50 0.057 mg/l
,		
Daphnia magna (Water flea)	-	48 h EC50 0.067 mg/l
Colinus virginianus (Bobwhite quail)	-	Dietary LC50 > 5,000 ppm
Colinus virginianus (Bobwhite	-	Oral LD50 3,474 mg/kg
quail)		
Mallard ducklings	-	Dietary LC50 > 5,000 ppm

### Ecological Toxicity Values for: SODIUM CHLORIDE

Carassius auratus (goldfish)	-	Acute toxicity 10 d LC50 > 10,000 mg/l
Daphnia magna (Water flea)	-	Immobilization 48 h EC50> 100 mg/l

Ecological Toxicity Values for: Calcium chloride					
Lepomis macrochirus (Bluegill	-	Acute toxicity 96 h LC50 10,650 mg/l			
sunfish)					
Daphnia magna (Water flea)	-	48 h EC50 2,400 mg/l			
Daphnia magna (Water flea)	-	48 h EC50 144 mg/l			
Chlorella vulgaris (Fresh water	-	Cell multiplication inhibition test 120 h EC10 140 mg/l			
algae)					

### Ecological Toxicity Values for: Calcium hydroxide

Gambusia affinis (Mosquito fish) - Acute toxicity 96 h LC50 160 mg/l

### **SECTION 13. DISPOSAL CONSIDERATIONS**



### CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary :	If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D001.If this product becomes a waste, it will be a hazardous waste which is subject to the Land Disposal restrictions under 40 CFR 268 and must be managed accordingly.
Disposal Methods :	As a hazardous solid waste it should be disposed of in accordance with local, state and federal regulations.

## **SECTION 14. TRANSPORT INFORMATION**

<b>DOT</b> UN number Description of the goods Class Packing group Labels Emergency Response Guidebook Number	<ul> <li>2880</li> <li>Calcium hypochlorite, hydrated mixtures</li> <li>5.1</li> <li>II</li> <li>5.1</li> <li>140</li> </ul>
<b>TDG</b> UN number Description of the goods Class Packing group Labels	: 2880 : CALCIUM HYPOCHLORITE, HYDRATED MIXTURE : 5.1 : II : 5.1
IATA UN number Description of the goods Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft) Packing instruction (passenger aircraft)	<ul> <li>2880</li> <li>Calcium hypochlorite, hydrated mixture</li> <li>5.1</li> <li>II</li> <li>5.1</li> <li>562</li> <li>558</li> <li>Y544</li> </ul>



IMDG-CODE		
UN number	:	2880
Description of the goods	:	CALCIUM HYPOCHLORITE, HYDRATED MIXTURE
Class	:	5.1
Packing group	:	II
Labels	:	5.1
EmS Number 1	:	F-H
EmS Number 2	:	S-Q
Marine pollutant	:	yes

## **SECTION 15. REGULATORY INFORMATION**

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word	:	DANGER!
Hazard statements	:	Causes substantial but temporary eye injury.
		Corrosive. Causes skin burns.
		Corrosive. Causes irreversible eye damage.
		This pesticide is toxic to fish.

### EPCRA - Emergency Planning and Community Right-to-Know Act

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Calcium hypochlorite	7778-54-3	10	13

### SARA 311/312 Hazards

See above: SECTION 2. Hazard Identification-GHS Classification

### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

### Massachusetts Right To Know

Components	CAS-No.
Calcium hypochlorite	7778-54-3
Calcium chlorate	10137-74-3



Calcium dihydroxide	1305-62-0
Calcium carbonate	471-34-1

#### Pennsylvania Right To Know

Components	CAS-No.
Calcium hypochlorite	7778-54-3
Sodium chloride	7647-14-5
Calcium chlorate	10137-74-3
Calcium chloride	10043-52-4
Calcium dihydroxide	1305-62-0
Calcium carbonate	471-34-1

#### New Jersey Right To Know

Components	CAS-No.
Calcium hypochlorite	7778-54-3
Sodium chloride	7647-14-5
Calcium chlorate	10137-74-3
Calcium chloride	10043-52-4
Calcium carbonate	471-34-1
Calcium dihydroxide	1305-62-0

### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### **SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: SECTIONS REVISED:	1 Arch is a wholly-owned subsidiary of Lonza and continues to operate as
	Arch Chemicals, Inc.
Major References :	Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.