

Safety Data Sheet Custom Blend 8-1-8

GALENA PARK, TEXAS 77547

PHONE NUMBER 800-634-2861

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Custom Blend 8-1-8
Chemical Name: Mixture of Inorganic Salts

Guaranteed Analysis 8% N, 1% P₂O₅, 8% K₂O, 4% S, 0.006% Mo, 0.05% Zn, 0.7% Fe, 0.05%

Mn, 0.05% Cu, 0.2%B

CAS Registry Number: Not Applicable

Product Use: Dry Fertilizer For Soil Application to Improve Plant Growth

Supplier: American Plant Food Corp. 903 Mayo Shell Rd, Galena Park, TX 77802

Telephone: 800-634-2861

Emergency Phone #s: FOR CHEMICAL EMERGENCY

(Spill, Leak, Fire, Exposure or Accident) (800) 424-9300 CHEMTREC

FOR MEDICAL/HANDLING EMERGENCIES INFOTRAC USA: (800) 424-9300 CHEMTREC

2. SIGNAL WORD: WARNING



EMERGENCY OVERVIEW (800) 424-9300 CHEMTREC. Not flammable or explosive, but will decompose in extreme heat to produce toxic fumes of oxides of nitrogen ammonia, oxides of phosphorous, and oxides of potassium.

MAY CAUSE EYE, SKIN, AND RESPIRATORY IRRITATION.

- Avoid contact with skin and clothing. Wash after handling.
- Wear appropriate personal protective equipment. (See Section 8 for additional information)

Appearance and odor: Mixture of white, grey and red granules

POTENTIAL HEALTH EFFECTS (See Section 11 for additional information)

Primary Route (s) of Exposure: Dermal Contact, Eye Contact, Inhalation, Ingestion

Acute Exposure:

• Inhalation No known significant effects or critical hazards

• Eye Contact Irritating to eyes

• Skin Contact Practically non-toxic in contact with skin. Irritation to skin.

• Ingestion Practically non-toxic if swallowed.

Carcinogenicity: Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.



Safety Data Sheet Custom Blend 8-1-8

GALENA PARK, TEXAS 77547

PHONE NUMBER 800-634-2861

Chronic Effect/Developmental Repeated skin exposure can produce local skin destruction or

dermatitis. Repeated exposure to the eyes to a low level of dust

can produce eye irritation.

Medical Conditions Aggravated: Skin conditions, Eye conditions, Gastrointestinal condition POTENTIAL ENVIRONMENTAL EFFECTS (See Section 12 for additional information)

%

This material is a water pollutant. Do Not let spilled or leaking material enter waterways.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS Number

Limits)	(w/w)	
Ammonium Sulfate	19%	7783-20-2
Potassium Chloride	13%	7447-40-7
Heat Treated Biosolids	65%	None
Manganese Sulfate	<0.1%	7785-87-7
Iron Oxide	<0.7%	1309-37-1
Manganese Oxide	<0.5%	1344-43-0
Iron Sulfate	<0.1%	7720-78-7
Zinc Sulfate	<0.1%	7733-02-0
Zinc Oxide	<0.5%	1314-13-2
Copper Oxide	<0.3%	1317-38-0
Copper Sulfate	<0.3%	7758-99-8
Sodium Calcium Borate	<0.6%	1319-33-1

4. FIRST AID MEASURES

Ingredients (See Section 8 for Exposure

Inhalation: If inhaled, remove to fresh air. If not breathing give artificial respiration. Get

medical attention.

Eye Contact: Check for and remove any contact lenses. Rinse immediately with plenty of water.

Get medical attention.

Skin Contact: Wash with soap and water. Get medical attention if symptoms occur.

Ingestion: Do Not induce vomiting. Never give anything by mouth to an unconscious person.

Get medical attention if symptoms appear.

5. FIRE FIGHTING MEASURES

Conditions of Flammability: Non Flammable

Flash Point (Method): N/A
Auto-Ignition Temperature: N/A

Extinguishing Media: This product is not flammable or combustible. If involved in a

fire, use water fog or spray, dry chemical, foam or carbon

dioxide extinguishing agents.

Fire Fighting Procedures: Wear self-contained breathing apparatus, approved by NIOSH.

Do not wash material into any streams, waterways, drainage



Safety Data Sheet Custom Blend 8-1-8

GALENA PARK, TEXAS 77547

PHONE NUMBER 800-634-2861

ditches, or storm sewers, etc. Impound liquids used in

firefighting to prevent entry into streams, ditches, sewers, etc.

Fire & Explosion Hazards: Not flammable or explosive.

Hazardous Combustion Products: Oxides of nitrogen, phosphorus and potassium. Ammonia

	Health:	Fire:	Reactivity:	Other:
NFPA Hazard Rating	1	0	0	None
[0 – Minimal	1 – Slight	2 – Moderate	3 – High	4 – Extreme J

6. ACCIDENTAL RELEASE MEASURES

Spill/Leak: Safely stop source of spill. Restrict non-essential personnel from area. All

personnel involved in spill clean up should avoid skin and eye contact by

wearing appropriate personal protective equipment.

Cleanup: Sweep up spilled solid material, being careful not to create dust. Return

sweepings to stock or, if contaminated, place into a chemical waste container

for disposal according to local, state, and/or federal regulations.

7. HANDLING AND STORAGE

Store in cool, dry, well-ventilated area away from incompatible substances. Protect from physical damage. Avoid generating dust and the release of dust into the workplace. Refrain from eating, drinking, or smoking in work areas

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Applicable Exposure Limits:

	OSHA – PELS (mg / m³)		ACGIH – TLVs (mg / m³)		NIOSH – RELS (mg / m³)	
Chemical Name						
	TWA	STEL/CEIL (C)	TWA	STEL/CEIL (C)	TWA	STEL/CEIL (C)
Ammonium Sulfate	15 Total 5 Respirable	N/D	N/D	N/D	N/D	N/D
Potassium Chloride	15 Total 5 Respirable	N/D	N/D	N/D	N/D	N/D
Heat Treated Biosolids	N/D	N/D	N/D	N/D	N/D	N/D
Iron Oxide	10	N/D	5	N/D	5	N/D
Manganese compounds	N/D	N/D	2	N/D	1	3
Zinc compounds	15 Total 5 Respirable	N/D	2	N/D	5	15
Calcium Oxide	5	N/D	2	N/D	2	N/D

Legend:

Permissible Exposure Limit CEIL: Ceiling Exposure Limit PEL: STEL: Short Term Exposure Limit REL: Recommended Exposure Limit TLV: Threshold Limit Value N/D Not Determined ACGIH: American Conference of Governmental Industrial Hygienists TWA: Time-Weighted Average

NIOSH: National Institute for Occupational Safety and Health WEEL: Workplace Environmental Exposure Level

OSHA: Occupational Safety and Health Administration **Personal Protective Equipment (PPE)**



Safety Data Sheet Custom Blend 8-1-8

GALENA PARK, TEXAS 77547

PHONE NUMBER 800-634-2861

• Protective The hazard potential of this material is low. Where there is large-scale use of this material and significant potential for worker contact, gloves and long sleeved work clothes or disposable

coveralls may be necessary. Eye protection should be worn where dust is generated and there is

a potential that eye contact may occur.

• Ventilation: Use adequate local or general ventilation where necessary to maintain the concentrations of dust

well below the recommended occupational exposure limits for general particulates. Not

Otherwise Specified (NOS).

• Respirators: Where dust is generated and cannot be controlled to within acceptable levels by engineering

means, use appropriate NIOSH-approved respiratory protection equipment a 42CFR84 Class N,

R or P-95 particulate filter cartridge.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State/Appearance/Odor:	Solid, mixture of white, brown, red granules, odorless
Boiling Point:	N/A
Bulk Density:	57-65 lbs./cubic foot depending on major component
Cloud Point:	N/A
Evaporation Rate (Butyl Acetate=1):	N/A
Melting Point:	N/A
Odor Threshold:	N/A
pH:	5.5-7.5 depending on concentration of major component at 5% concentration
Partition Coefficient (n-octanol/water):	N/A
Pour Point:	N/A
Solubility in water:	85-95% Soluble in Water depending on concentration of major component
Solubility in other solvents:	N/A
Specific Gravity $(H_2O = 1)$:	N/A
Vapor Density (Air = 1):	N/A
Viscosity:	N/A
Volatiles (% by weight):	N/A
Other-Decomposition temperature	N/A
Conditions of Flammability:	Non Flammable
Flash Point (Method):	N/A
Upper Flammable Limit (% by volume)	N/A
Lower Flammable Limit (% by volume):	N/A
Auto-Ignition Temperature	N/A
<: less than	>: greater than =: approximately

10. STABILITY AND REACTIVITY

Stability: This product is stable at ambient temperatures and atmospheric

oressures.

Incompatibilities/Conditions to avoid: Avoid contact with strong alkaline or acid compounds.

Decomposition Products: Ammonia. Oxides of Nitrogen, Phosphorous, and Potassium.

11. TOXICOLOGICAL INFORMATION

TOXICITY DATA

Ingredient Name	TEST	RESULT	ROUTE	SPECIES
Ammonium Sulfate	LD50	3000 mg/kg	ORAL	RAT



Safety Data Sheet Custom Blend 8-1-8

GALENA PARK, TEXAS 77547

PHONE NUMBER 800-634-2861

Potassium Chloride	LD50	1500 mg/kg	ORAL	MOUSE
	LD50	3750 mg/kg	ORAL	RAT
Sodium Calcium Borate	LD50	3200 mg/kg	ORAL	RAT
		2000 mg/kg	DERMAL	RABBIT
Copper Oxide	LD50	>2500 mg/kg	ORAL	RAT
	LD50	>2000 mg/kg	DERMAL	RABBIT
Copper Sulfate	LD50	481 mg/kg	ORAL	RAT
	LD50	>1000 mg/kg	DERMAL	RABBIT
Iron Oxide	LD 50	5000 mg/kg	ORAL	RAT
Iron Sulfate	LD50	1520 mg/kg	ORAL	MUS
	LD50	245 mg/kg	IPR	MUS
	LD50	51 mg/kg	IVN	MUS
Manganese Oxide	LD50	3478 mg/kg	ORAL	RAT
Manganese Sulfate	LD50	120 mg/kg	IPR	MUS
Zinc Oxide	LD50	630 mg/kg	ORAL	RAT
Zinc Sulfate	LD50	221 mg/kg	UNR	MAN
	LD50	1260 mg/kg	ORAL	RAT
	LD50	2200 mg/kg	ORAL	MUS
	LD50	200 mg/kg	IPR	RAT

GENERAL: The form in which this material is sold is considered to be relatively non-toxic. SKIN/EYE: Direct contact may cause local irritation, but is not expected to cause significant

tissue damage.

INHALATION: Acute inhalation may result in irritation, but is not expected to cause significant

harmful effects. Symptoms may include discomfort, coughing, sneezing, and

shortness of breath.

INGESTION: Ingestion of large doses can irritate the stomach, resulting in abdominal pain, nausea,

diarrhea, and vomiting.

12. ECOLOGICAL INFORMATION

Ecotoxicity: No data available on the mixture. Components within the mixture can be damaging

to aquatic organisms.

Environmental

Fate:

Product is not expected to bio accumulate. Release of components in this mixture to the aquatic environment can cause algae growth which may increase turbidity and displace oxygen resulting in a hazard to fish or other marine organisms. Will

disperse with the current. Release to watercourses may cause effects down stream

from the point of release. Avoid spills or release to watercourse.

13. DISPOSAL CONSIDERATIONS

Waste & Do not wash down drain. Put uncontaminated material back into process if at all possible. Place contaminated material in suitable, labeled containers for disposal. Dispose of waste material consistent with the requirements of waste disposal

authorities.



Safety Data Sheet Custom Blend 8-1-8

GALENA PARK, TEXAS 77547

PHONE NUMBER 800-634-2861

14. TRANSPORT INFORMATION			
Shipping Information:	Not regulated for transport		
Required Labels:	N/A		
Environmentally Hazardous Substances	N/A		
[49 CFR 172.101, Appendix A]:			

15. REGULATORY INFORMATION				
Regulatory Lists:				
Ingredients listed on TSCA inventory	Yes			
Hazardous work hazard communication standard	No			
CERCLA Section 103 Hazardous Substances	No			
EPCRA Section 302 Extremely Hazardous Substance	No			
EPCRA Section 311/312 Hazard Categories	No			
EPCRA Section 313 Toxic Release Inventory	No			

16. OTHER INFORMATION			
Prepared by:	American Plant Food Corp. 903 Mayo Shell Rd, Galena Park, TX 77802		
Technical Staff	Telephone: 800-634-2861		

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY AMERICAN PLANT FOOD CORPORATION HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET

Date of First Issue:	09/13/2019	Revision Number:	N/A
Revision Date:	N/A	Changes:	N/A