

Reviewed on 06/09/2015

1 Identification

- · Product identifier
- · Trade name: *Epoxy CR-2000 Part A*
- · Article number: EP CR-2000 PT A
- $\cdot\,$ Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** AquaBond LLC 6444 E Spring St #275 Long Beach, CA 90815 USA

· EMERGENCY PHONE: For product emergency involving spill, leak, fire,

- exposure, or accident call CHEMTREC at
- \cdot (800) 424-9300. For all other inquires call AquaBond LLC at (714) 961-1420

2 Hazard(s) identification

 \cdot Classification of the substance or mixture



Acute Tox. 4 H312 Harmful in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Irritant

Irritating to eyes and skin. May cause sensitisation by skin contact.

Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of international guidelines.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· Label elements

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with directives on hazardous materials.

\cdot Code letter and hazard designation of product:



Irritant

- **Hazard-determining components of labeling:** Epoxy Resin - Proprietary 1,4-bis(2,3-epoxypropoxy)butane
- **Risk phrases:** Irritating to eyes and skin. May cause sensitisation by skin contact.

(Contd. on page 2)

US


Aqua Bond

Printing date 06/26/2015

Safety Data Sheet acc. to OSHA HCS

Reviewed on 06/09/2015

Trade name: Epoxy CR-2000 Part A



• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous c 	components:
---------------------------------	-------------

	Epoxy Resin - Proprietary	50-100%
2425-79-8	1,4-bis(2,3-epoxypropoxy)butane	2.5-10%

4 First-aid measures

- · Description of first aid measures
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)



Printing date 06/26/2015

Reviewed on 06/09/2015

Trade name: Epoxy CR-2000 Part A

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

Safety Data Sheet acc. to OSHA HCS

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- \cdot Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.

(Contd. on page 4)

US -



Printing date 06/26/2015

Reviewed on 06/09/2015

Trade name: Epoxy CR-2000 Part A

(Contd. of page 3)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.



Ti

Tightly sealed goggles

Information on basic physical and o	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	According to product specification Characteristic	
Odor:	Not determined.	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	261 °C (502 °F)	
Flash point:	112 °C (234 °F)	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	1.158 g/cm ³ (9.664 lbs/gal)	

US



Printing date 06/26/2015

Reviewed on 06/09/2015

Trade name: Epoxy CR-2000 Part A

		(Contd. of page
· Relative density	Not determined.	
· Vapour density	Not applicable.	
• Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \cdot Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- \cdot Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

Epoxy Resin - Proprietary

Oral LD50 30000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rat)

- · Primary irritant effect:
- \cdot on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

US

Printing date 06/26/2015

Aa

Reviewed on 06/09/2015

Trade name: Epoxy CR-2000 Part A

(Contd. of page 5)

\cdot OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- \cdot Mobility in soil No further relevant information available.
- \cdot Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- \cdot Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number	
· DOT, ADN, IATA	not regulated
· IMDG	UN3077
· UN proper shipping name	
· DOT, ADN, IATA	not regulated
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLII
	N.O.S., MARINE POLLUTANT
· Transport hazard class(es)	
· DOT, ADN, IATA	
Class	not regulated
·IMDG	
· Class	9 Miscellaneous dangerous substances and articles



Printing date 06/26/2015

Reviewed on 06/09/2015

Trade name: Epoxy CR-2000 Part A

	(Contd. of page
· Label	9
· Packing group	
· DOT, IATA	not regulated
· IMDG	III
· Environmental hazards:	Product contains environmentally hazardous substances BISPHENOL A EPOXY RESIN
· Marine pollutant:	Yes
-	Symbol (fish and tree)
· Special precautions for user	Not applicable.
· EMS Number:	F-A,S-F
· Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
· IMDG	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	-

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 \cdot Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 8)



Printing date 06/26/2015

Reviewed on 06/09/2015

Trade name: Epoxy CR-2000 Part A

(Contd. of page 7)

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

\cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

· Hazard symbols:



Irritant

• Hazard-determining components of labeling: Epoxy Resin - Proprietary 1,4-bis(2,3-epoxypropoxy)butane

· Risk phrases:

Irritating to eyes and skin. May cause sensitisation by skin contact.

· Safety phrases:

Keep out of the reach of children. Avoid contact with skin and eyes. Wear suitable gloves and eye/face protection. If swallowed, seek medical advice immediately and show this container or label. Dispose of this material and its container to hazardous or special waste collection point.

· Special labeling of certain preparations:

Contains epoxy constituents. See information supplied by the manufacturer. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

- · Contact: Mr. Edward Poznysz, VP of Technologies: epoznysz@resindesigns.com
- · Date of preparation / last revision 06/26/2015 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1



Printing date 06/26/2015

Reviewed on 06/09/2015

1 Identification

- · Product identifier
- · Trade name: *Epoxy CR-2000 Part B*
- · Article number: EP CR-2000 PT B
- $\cdot\,$ Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** AquaBond LLC 6444 E Spring St #275 Long Beach, CA 90815 USA

· EMERGENCY PHONE: For product emergency involving spill, leak, fire,

- exposure, or accident call CHEMTREC at
- · (800) 424-9300. For all other inquires call AquaBond LLC at (714) 961-1420

Safety Data Sheet acc. to OSHA HCS

2 Hazard(s) identification

· Classification of the substance or mixture



Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Eye Irrit. 2B H320 Causes eye irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Harmful

Harmful by inhalation.



Irritating to eyes and skin. May cause sensitisation by skin contact.

- · Information concerning particular hazards for human and environment:
- The product has to be labeled due to the calculation procedure of international guidelines.
- · Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- Labelling according to EU guidelines: The product has been classified and marked in accordance with directives on hazardous materials.
- · Code letter and hazard designation of product:



Harmful

- Hazard-determining components of labeling: Mercaptan-Amine Blend
- **Risk phrases:** Harmful by inhalation.

(Contd. on page 2)

US



Printing date 06/26/2015

Reviewed on 06/09/2015

Trade name: Epoxy CR-2000 Part B

Instating to gues and skin	(Contd. of page 1)
Irritating to eyes and skin. May cause sensitisation by skin contact.	
 Safety phrases: Keep out of the reach of children. Avoid contact with skin and eyes. Wear suitable gloves. If swallowed, seek medical advice immediately and show this container or label. Dispose of this material and its container to hazardous or special waste collection point. Classification system: NFPA ratings (scale 0 - 4) 	
Health = 1 Fire = 1 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH1Health = 1FIRE1Fire = 1REACTIVITY0Reactivity = 0	
 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 	
3 Composition/information on ingredients	

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

	Mercaptan-Amine Blend	50-100%
112-57-2	3,6,9-triazaundecamethylenediamine	≤ 2.5%

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

US –

Printing date 06/26/2015

Reviewed on 06/09/2015

(Contd. of page 2)

Trade name: Epoxy CR-2000 Part B

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- \cdot Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

5-

Printing date 06/26/2015

Reviewed on 06/09/2015

Trade name: Epoxy CR-2000 Part B

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and of General Information	chemical properties	
Appearance:		
Form:	Fluid	
Color:	According to product specification	
Odor:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	213 °C (415 °F)	
Flammability (solid, gaseous):	Not applicable.	



Printing date 06/26/2015

Reviewed on 06/09/2015

Trade name: Epoxy CR-2000 Part B

	(Contd	. of page
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wat	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0~%	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \cdot Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

Mercaptan-Amine Blend

Oral LD50 >2000 mg/kg (rat)

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 6)



Printing date 06/26/2015

Reviewed on 06/09/2015

(Contd. of page 5)

Trade name: Epoxy CR-2000 Part B

Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- \cdot Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- \cdot **Recommendation:** Disposal must be made according to official regulations.

· UN-Number		
· DOT, ADN, IMDG, IATA	not regulated	
· UN proper shipping name		
· DOŤ, ÂDN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	not regulated	



Printing date 06/26/2015

Reviewed on 06/09/2015

Trade name: *Epoxy CR-2000 Part B*

		(Contd. of page 6)
 Packing group DOT, IMDG, IATA 	not regulated	
• Environmental hazards: • Marine pollutant:	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	-	

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- \cdot Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- \cdot Section 313 (Specific toxic chemical listings):
- None of the ingredients is listed.
- · TSCA (Toxic Substances Control Act):
- 112-57-2 3,6,9-triazaundecamethylenediamine
- 112-24-3 3,6-diazaoctanethylenediamin
- · Proposition 65
- · Chemicals known to cause cancer:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity:
- None of the ingredients is listed.
- · Carcinogenic categories
- \cdot EPA (Environmental Protection Agency)
- None of the ingredients is listed.
- \cdot TLV (Threshold Limit Value established by ACGIH)
- None of the ingredients is listed.
- \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.
- · Product related hazard informations:
- The product has been classified and marked in accordance with directives on hazardous materials.

(Contd. on page 8)

US -


Aqua

Printing date 06/26/2015

Reviewed on 06/09/2015

Trade name: Epoxy CR-2000 Part B

(Contd. of page 7)





• Hazard-determining components of labeling:

Mercaptan-Amine Blend

Risk phrases: Harmful by inhalation. Irritating to eyes and skin. May cause sensitisation by skin contact.

· Safety phrases:

Keep out of the reach of children. Avoid contact with skin and eyes.

Wear suitable gloves.

If swallowed, seek medical advice immediately and show this container or label. Dispose of this material and its container to hazardous or special waste collection point.

 \cdot Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Safety Data Sheet acc. to OSHA HCS

- Department issuing SDS: Environment protection department.
- · Contact: Mr. Edward Poznysz, VP of Technologies: epoznysz@resindesigns.com
- · Date of preparation / last revision 06/26/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association

IATA: International Air Transport Association

- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B
- Skin Sens. 1: Sensitisation Skin, Hazard Category 1