



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	AquaZone pH Plus	
Product id	AS_9020_AQ	
Revision date	02/11/2014	Revision: 4
Supersedes	22/08/2011	

1. Identification of the substance & the company

Chemical name	Sodium carbonate, anhydrous
Synonym(s)	Soda salt, soda crystal, disodium carbonate, soda ash
Chemical formula	Na_2CO_3
Type of product and use	pH adjustment for pools, spas and hot tubs
Supplier	NAVA Water Products 95 MacCorkle Ave. SW, South Charleston, WV 25303, USA Toll Free Number: 1-800-811-2327
Emergency Telephone	Chemtrec: (800) 424-9300 Medical: (800) 420-9236

2. Hazards identification

GHS classification Eye Irrit. 2, H319 Causes serious eye irritation

Labels and other form of warning

Symbol(s)



Signal Word WARNING

Hazard statements H319 - Causes serious eye irritation

Precautionary statements P264 - Wash hands thoroughly after handling
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice/attention

NFPA Ratings (Scale 0-4) Health = 2, Fire = 0, Reactivity = 0.



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name AquaZone pH Plus
Product id AS_9020_AQ
Revision date 02/11/2014
Supersedes 22/08/2011

Revision: 4

HMIS Ratings (Scale 0-4) Health = 2, Fire = 0, Reactivity = 0.

3. Composition / information on ingredients

Components	CAS No.	Weight %
SODIUM CARBONATE	497-19-8	100

4. First-aid measures

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Inhalation In case of dust inhalation or breathing fumes released from heated material, remove person to fresh air. Keep him quiet and warm. Apply artificial respiration if necessary and get medical attention immediately.

Ingestion Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, acute or delayed

- **Eye Contact** Causes serious eye irritation

- **Skin contact** May cause skin irritation, seen as redness and swelling. In the presence of moisture or sweat, irritation may become more severe leading to rash. May cause dry and chapped skin.

- **Inhalation** May be irritating to mucous membranes and eyes.

- **Ingestion** May cause severe irritation and risk of burns to the mouth, throat, esophagus and stomach. Ingestion of large quantities can cause nausea and vomiting (bloody)

Note to physician No specific antidote.
Treat symptomatically and supportively.



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name **AquaZone pH Plus**
Product id AS_9020_AQ
Revision date 02/11/2014 **Revision: 4**
Supersedes 22/08/2011

5. Fire - fighting measures

Suitable extinguishing media Material is not combustible. Use extinguishing media appropriate to surrounding fire conditions.

Unusual fire and explosion hazards None known

Fire fighting procedure In closed stores, provide fire-fighters with self-contained breathing apparatus in positive pressure mode

6. Accidental release measures

Personal precautions See section "Exposure controls/personal protection".

Methods for cleaning up Shovel into suitable container for disposal. Ventilate area and wash spill site after material pickup is complete. Observe all federal, state and local environmental regulations.

Environmental precautions Prevent from entering into soil, ditches, sewers waterways and/or groundwater.

7. Handling and storage

Handling Avoid prolonged or repeated contact with skin or eyes. Do not wear contact lenses without proper eye protection when using this product. Avoid prolonged or repeated breathing of dusts. Use vacuum or wet mop to clean up dust.

Storage Keep in a closed, properly labeled container in a dry area away from acids. Protect from physical damage.

8. Exposure controls / personal protection

Exposure Limits :

Components	ACGIH-TLV Data	OSHA (PEL) Data
SODIUM CARBONATE 497-19-8	Not determined	Not determined



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	AquaZone pH Plus	
Product id	AS_9020_AQ	
Revision date	02/11/2014	Revision: 4
Supersedes	22/08/2011	

Ventilation requirements Ventilation must be sufficient to maintain airborne of total dust below 15 mg/m³, respirable fraction 5 mg/m³, OSHA recommendation for Particulates Not Otherwise Regulated (PNOR).

Personal protective equipment:

- **Respiratory protection** In case of significant or accidental dust emissions, NIOSH approved dust mask should be worn
- **Hand protection** Cotton gloves are adequate for routine handling of dry product
- **Eye protection** In cases of significant dust, goggles are recommended
- **Skin and body protection** Body covering clothes and boots

Hygiene measures Do not eat, smoke or drink where material is handled, processed or stored. Wash hands thoroughly after handling and before eating or smoking. Safety shower and eye bath should be provided.

9. Physical and chemical properties

Appearance	White granules
Odor	Slightly pungent
pH	11.6 (1% solution)
Melting point/range	851°C (1564°F)
Boiling point/range	Not applicable
Flash point	Non-combustible
Flammable/Explosion limits	Not flammable
Vapor pressure	Not applicable
Vapor density	Not applicable
- Solubility in water	33% maximum by weight in water
Auto-ignition temperature	Not applicable
Decomposition temperature	>400°C
Viscosity	No data available
Specific gravity	2.533(20°C)

10. Stability and reactivity

Reactivity	Hygroscopic
Stability	Stable under normal conditions
Possibility of hazardous reactions	None known
Conditions to avoid	Extreme heat. Exposure to moisture.



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	AquaZone pH Plus	
Product id	AS_9020_AQ	
Revision date	02/11/2014	Revision: 4
Supersedes	22/08/2011	

Materials to avoid	Under certain conditions, may react with Al, P ₂ , O ₅ , F ₂ , Li and 2,4,6-trinitrotoluene. Reacts with acids and releases large volumes of CO ₂ gas and heat. Soda ash and lime dust in the presence of moisture may form caustic soda, which may cause burns.
---------------------------	--

Hazardous decomposition products	None known
---	------------

11. Toxicological information

Acute toxicity:

- | | |
|------------------------------|-----------------|
| - Rat oral LD50 | >2000 mg/kg |
| - Rat inhalation LC50 | 2.3 mg/L (2h) |
| - Eye irritation (rabbit) | Severe irritant |
| - Dermal irritation (rabbit) | Mild irritant. |

Chronic toxicity	No data available
-------------------------	-------------------

Carcinogenicity	Not classified by IARC, OSHA, EPA. Not included in NTP 13th Report on Carcinogens
------------------------	--

12. Ecological information

Aquatic toxicity :

- | | |
|-------------------------------|---------------------------------------|
| - 96 Hour-LC50, Fish | 300 mg/l (Lepomis macrochirus) |
| - 48 Hour-EC50, Daphnia magna | 265 mg/l |
| - EC50, Freshwater algae | 242 mg/l (5 days, Nitzschia linearis) |

13. Disposal considerations

Waste disposal	Observe all federal, state and local environmental regulations when disposing of this material
-----------------------	--

Disposal of Packaging	Empty packaging may contain product residues and due consideration should be given prior to disposal
------------------------------	--



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name AquaZone pH Plus
Product id AS_9020_AQ
Revision date 02/11/2014
Supersedes 22/08/2011

Revision: 4

14. Transportation information

DOT Not regulated

15. Regulatory information

USA Reported in the EPA TSCA Inventory.

CERCLA/SARA - 302 ext. haz. substances This product contains no Hazardous Substances listed in 40 CFR Part 302.

- SARA (311, 312) Hazard Class - Acute
Planning threshold: 10,000 lbs
Hazard Class - Chronic
Planning threshold: 10,000 lbs

- California-Prop 65 This product does not contain any ingredient known to the State of California to cause cancer or reproductive toxicity as listed under the State drinking Water and Toxic Enforcement Act of 1986.

- Waste Classifications This material does not meet RCRA's characteristic definition of ignitability, corrosivity, or reactivity, and is not listed in 40CFR 261.33. Not listed under CERCLA.

Canada Listed in DSL

-WHMIS hazard class D2B Toxic materials causing other toxic effects
E corrosive material

16. Other information

This data sheet contains changes from the previous version in section(s)
2, 4, 10, 16

All sections reformatted in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)



SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	AquaZone pH Plus	
Product id	AS_9020_AQ	
Revision date	02/11/2014	Revision: 4
Supersedes	22/08/2011	

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, NAVA Water Products makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will NAVA Water Products be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

In an event of discrepancy between the contents of this SDS and the English version of it, the English version shall prevail.

Prepared by North America Regulatory Affairs
ICL-IP America Inc.
95 MacCorkle Ave., S.W.
South Charleston, WV 25303, USA
Phone number: (304) 746-3000

Prepared for W.W. Adcock
P.O. Box 492
Huntington Valley, PA 19006
Tel: (215) 947-3801

End of safety data sheet