SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier E-Z POOL®

GHS Product Identifier E-Z POOL®

Chemical Name Inorganic Salts Mixture

Trade Name As above
Cas No. Mixture
Einecs No. Mixture
Reach Registration No. Not available

1.2 Relevant Identified Uses Of The Substance Or Mixture And Uses Advised Against

Identified Use(s) Consult the supplier.

Uses Advised Against Users are recommended to seek further advice.

1.3 Details Of The Supplier Of The Safety Data Sheet

Company Identification APi

Address 880 Jupiter Park Drive, Suite 14

Jupiter, FL 33458

Telephone 561-743-0449
E-Mail (Competent Person) Kelly@apiwater.com
Emergency Telephone Number – ChemTel Inc.

(800)255-3924 (USA/Canada), 813-248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification Of The Substance Or Mixture
- 2.1.1 Regulation (EC) No. 1272/2008 (CLP) 2.14/3 Oxidizing Solid, 3.2/2 Skin Irritant, 3.3/2 Serious Eye Irritant, 3.4/1 Respiratory,/Skin Sensitizer, 3.8/3 STOT/SE Respiratory, 4.1/1 Aquatic Toxicity.
- **2.1.2** Directive 67/548/EEC & Directive 1999/45/EC Harmful, Irritant, Environmental Hazard, Oxidizer.
- 2.2 Label Elements
- 2.2.1 Label Elements According to Regulation (EC) No. 1272/2008 (CLP)

GHS Product Identifier (EU)

Hazard Pictogram(s)



Signal Word(s)

Danger

Hazard H272 May intensify fire; oxidiser. **Statement(s)** H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H318: Causes serious eye damage.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary P220 Keep/Store away from clothing/ combustible materials. **Statement(s)** P261 Avoid breathing **dust**/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/eye protection/face protection.

P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or

doctor/physician.

P501 Dispose of contents/container to an approved waste disposal plant.

Expires: 1 August 2014 Page: 1/12

MATERIAL SAFETY DATA SHEET E-Z POOL®

Date: 2 August 2011

2.2.2 Label Elements According to Directive 67/548/EEC & Directive 1999/45/EC

Hazard Symbol







Risk Phrases R8: Contact with combustible material may cause fire.

R22: Harmful if swallowed.

R36/37/38: Irritating to eyes, respiratory system and skin. R42/43: May cause sensitization by inhalation and skin contact.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects

in the aquatic environment.

Safety S22 Do not breathe dust.

Phrases S24 Avoid contact with skin.

S26 In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice. S37 Wear suitable gloves. S39 Wear eye/face protection.

S60 This material and its container must be disposed of as hazardous waste. S61 Avoid release to the environment. Refer to special instructions/ Safety data

sheets.

2.3 Other Hazards GHS Classification (USA): Hazardous under OSHA Hazard Communication Standard.

HMIS: Health-2, Flammability-0, Reactivity - 1



Hazard Statement(s)

H272 May intensify fire; oxidiser.

H302: Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H371 May cause damage to organs.

Precautionary Statement(s)

P220 Keep/Store away from clothing/ combustible materials.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if

you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

P501 Dispose of contents/ container to an approved waste disposal plant.

474

MATERIAL SAFETY DATA SHEET E-Z POOL®

Date: 2 August 2011

WHMIS/GHS Classification (Canada): C Oxidizer, D1B Toxic material causing immediate and serious toxic effects, D2A Respiratory sensitizer, D2B Moderate eye irritant, Skin sensitizer. E Corrosive Material.















Hazard Statement(s)

H272 May intensify fire; oxidiser.

H302: Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318: Causes serious eye damage.

H334 May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H371 May cause damage to organs.

Precautionary Statement(s)

P220 Keep/Store away from clothing/ combustible materials.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ eye protection/ face protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician.

P330 Rinse mouth.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.4 Additional Information See Section 16 for additional information.

Potential Health Effects

Inhalation Irritation of the respiratory tract.

Skin Contact Causes irritation. Possible sensitization and allergic contact dermatitis.

Eye Contact Severe eye irritation with corneal burns.

Ingestion Harmful if swallowed. Effects and Symptoms - Weakness, Headache,

nausea and vomiting, Bloodstained vomiting, Nausea, Bloodstained

diarrhoea. May cause internal burns to digestive tract.

Expires: 1 August 2014 Page: 3/12



MATERIAL SAFETY DATA SHEET

E-Z POOL®

Date: 2 August 2011

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

EC Classification No	EC Classification No. 1272/2008/EC and GHS Classification					
Hazardous Ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.		gram(s) and Hazard tement(s)
Proprietary Ingredient	30-60%	NR	NR	NA	\$ (!)	2.14/3, 3.1/4, 3.3/2, 3.8/3, 3.2/2,3.4/1 : H372,H272, H302, H315,H317, H319, H334, H335.
Proprietary Ingredient	20-40%	NR	NR	NA		3.3/1: H318
Proprietary Ingredient	5-15%	NR	NR	NA	(1)	3.1/4, 3.3/2 :H302, H319.
Copper Sulfate, Pentahydrate	1-6%	7758-98-7	231-64-6	NA		3.1/4, 3.3/2, 3.2/2, 4.1/1. : H302, H315, H319, H410

EC Classification No. 67/548/EEC

Hazardous Ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.		ogram(s) and Risk Phras(es)
Proprietary Ingredient	30-60%	NR	NR	NA	*	O ;Xn ;Xi : R8, R22,R36/37/38, R42/43
Proprietary Ingredient	20-40%	NR	NR	NA	×	Xi : R41
Proprietary Ingredient	5-15%	NR	NR	NA	×	Xn ; Xi : R22,R36
Copper II Sulfate, Pentahydrate	1-6%	7758-98-7	231-64-6	NA	**	Xn ;N : R22,R36/38, R50/53

^{3.3} Additional Information - For full text of H phrases see section 16. For full text of R phrases see section16. Non-Hazardous ingredients are not listed and make up the balance of the product.

SECTION 4: FIRST AID MEASURES

4.1	Description Of First Aid Measures	
	Inhalation	Remove patient from exposure. Have the contaminated individual blow nose. Keep patient at rest and give oxygen if breathing difficult. If symptoms develop, obtain medical attention.
	Skin Contact	Remove contaminated clothing immediately and drench affected skin with plenty of water. If irritation (redness, rash, blistering) develops, get medical attention.
	Eye Contact	Irrigate with eyewash solution or clean water, holding the eyelids apart, for at least 15 minutes. Obtain medical attention.
	Ingestion	Avoid ingestion. Do not induce vomiting. Get immediate medical attention. CALL PHYSICIAN OR POISON CONTROL CENTER FOR MOST CURRENT INFORMATION.
4.2	Most Important Symptoms And Effects, Both Acute And Delayed	Acute: Depending on the duration of contact, over-exposures can mildly to moderately irritate the eyes, skin, mucous membranes, and any other exposed tissue. Severe, prolonged eye contact may result in blindness. If inhaled, irritation of the respiratory system may occur, with coughing and breathing difficulty. Severe ingestion over-exposures may be fatal. Delayed and Chronic Effects: The Oxidizer component is a skin sensitizer; prolonged or repeated contact with this product may result in the development of dermatitis, rashes, and other allergic skin reactions. Refer to Section 11 (Toxicology Information) for additional information on this product's components.

AP

Expires: 1 August 2014 Page: 4/12

Revision: 11.01GHS MATERIAL SAFETY DATA SHEET

E-Z POOL®

4.3 Indication Of The Immediate
Medical Attention And Special
Treatment Needed

Treat symptomatically. Eliminate overexposure.

SECTION 5: FIRE-FIGHTING MEASURES

Not Flammable. No declared Flash Point, Explosive Limits, or Auto-Ignition Temperature.

5.1 Extinguishing Media

Suitable Extinguishing Extinguisher suitable for ordinary combustible materials. Class A

Media extinguishing agents.

Unsuitable Extinguishing None known.

Media

Mixture

5.2 Special Hazards Arising From The Substance Or

May intensify fire; oxidizer. A self contained breathing apparatus and suitable

Date: 2 August 2011

protective clothing should be worn in fire conditions.

5.3 Advice for Fire-fighters Extinguish preferably with dry chemical, foam or water spray.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal Precautions, Protective Equipment And Emergency Procedures Environmental Precautions	Avoid dust generation. Ensure full personal protection (including respiratory protection) during removal of spillages. In case of a spill, clear the affected area and protect people. For small releases (e.g., 2 pound release), clean-up spilled solid wearing gloves, goggles, and suitable body protection. The minimum Personal Protective Equipment recommended for response to non-incidental releases (e.g., 300 pound release) should be Level C: triple-gloves (rubber gloves, nitrile gloves over latex gloves), chemical resistant suit and boots, hard-hat, and an air-purifying respirator (with high efficiency particulate filter). Sweep-up or vacuum spilled solid. Triple-rinse area with water. Place all spill residue in a suitable container. Dispose of in accordance with applicable U.S. Federal, State, or local procedures, or the appropriate standards of Canada, Australia, and EU Member States. Ventilation recommended.
6.3	Methods And Material For Containment And Cleaning Up	Collect mechanically and dispose of according to Section 13.Transfer to a lidded container for disposal or recovery. Avoid dust generation. Ensure adequate ventilation.
6.4	Reference To Other Sections	See Also Section 7, 8, 13.
6.5	Additional Information	None

SECTION 7: HANDLING AND STORAGE

7.1 7.2	Precautions For Safe Handling Conditions For Safe Storage, Including Any Incompatibilities	Avoid contact with skin and eyes. Wash hands before eating, drinking or smoking. Avoid accumulation of dust. Use only in well-ventilated areas. Store in the original container in a cool, dry well ventilated area. Keep containers tightly sealed. Store containers away from wood, cardboard boxes, and other combustible materials. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged. Do not seal a container into which wetted product has been placed. The wetted product will generated toxic gases (e.g., sulfur compounds). If this reaction occurs in a sealed container, there will be a build-up of pressure, which can result in an inhalation exposure to a significant level of toxic substances upon opening the container. Additionally, there is the potential for the pressurized container to rupture. Empty containers may contain residual particulates; therefore, empty containers should be handled with care. Never store food, feed, or drinking water in containers which held this product.
	Storage Temperature Storage Life	Ambient. Not available

Expires: 1 August 2014 Page: 5/12



Revision: 11.01GHS MATERIAL SAFETY DATA SHEET Date: 2 August 2011

E-Z POOL®

Incompatible Materials Separate from Organic substances, strong acids, strong bases, powdered metal.

This product contains an oxidizer (the Oxidizer component); care should be taken to avoid exposing this substance to combustible materials in transport (and storage).

arona orpooning time dabbatanee to combabilistic materials

7.3 Specific End Use(s) Consult the supplier.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

8.1.1 Occupational Exposure Limits

Substance	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Dropriotor / Ingradient	NR	NE	0.1	NE	NE	ACGIH
Proprietary Ingredient	INK	NE	NE	NE	NE	OSHA
Dropriotory Ingradient	NR	NE	NE	NE	NE	ACGIH
Proprietary Ingredient	INK	NE	NE	NE	NE	OSHA
Proprietary Ingredient	NR	NE	10	NE	20	ACGIH
	INK	NE	10 (vacated)	NE	20 (vacated)	OSHA
Description description	ND	NE	2	NE	NE	ACGIH
Proprietary Ingredient	NR	NE	2	NE	NE	OSHA
Copper II Sulfate,* Pentahydrate; Exposure limits are for copper soluble compounds, as Cu & copper dusts & mists, as Cu.	7758-987	NE	Soluble Compounds: NIC = 0.05 (resp.frac.) Dusts & Mists: 1	NE	NE	ACGIH
* Carcinogen: EPA Class D.		NE	Dusts & Mists: 1	NE	NE	OSHA

8.1.2 Biological Limit Value

Limit Value Type (Country Of Origin)	Substance	CAS No.	Biological Limit Value	Note:
USA	None listed.	NA	NA	NA

8.1.3 PNECs and DNELs

No PNECs or DNELs available for product.

Expires: 1 August 2014 Page: 6/12



MATERIAL SAFETY DATA SHEET

E-Z POOL®

Date: 2 August 2011

		E-Z POOL ®
8.2.2	Personal Prote	ection Equipment
	Respirators	Avoid breathing dust. Assess exposure concentrations of all materials involved in the workplace. If concentrations exceed the exposure limits listed in Exposure Guidelines or irritation or other symptoms experienced, follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.
	Eye	Avoid eye contact. Wear protective eyewear (goggles, face shield, or safety
	Protection	glasses).
	Gloves	Wear protective gloves.
	Body Protection	Avoid skin contact. Wear suitable protective clothing and gloves.
	Engineering	Provide sufficient ventilation, particularly in closed rooms. Maintain employee
	Controls	exposure below applicable permissible exposure limits.
	Other	Remove contaminated, saturated clothing immediately. Contaminated clothing should be thoroughly cleaned.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information On Basic	Physical And Chemical	Properties	
	Appearance	Crystalline Solid	Color	White
	Odor	Odorless	Odor Threshold (ppm)	Not available
	Melting Point (°C) / Freezing Point (°C)	Not established	Boiling Point/Boiling Range (°C)	Not available
	Flash Point (°C)	Not applicable	Explosive Limit Ranges	Not available
	Auto Ignition Temperature (°C)	Not available	Decomposition Temperature (°C)	Not available
	Explosive Properties	Not available	Oxidizing Properties	May intensify fire; oxidizer.
	Flammability (Solid, Gas)	Not available	Ph (Value)	5.7
	Evaporation Rate	Not applicable.	Vapor Pressure (mm Hg)	Not available
	Vapor Density (Air=1)	Not applicable.	Density (g/ml)	2.48
	Solubility (Water)	Soluble	Solubility (Other)	Not available
	Partition Coefficient (N-Octanol/Water)	Not available	Viscosity (mPa.s)	Not available
9.2	Other Information	Volatile Organic Chemica	I (VOC) Content -Not applicable.	

SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	Moderate.
10.2	Chemical Stability	Stable under normal conditions.
10.3	Possibility Of Hazardous Reactions	Not available
10.4	Conditions To Avoid	Avoid exposure or contact to incompatible chemicals and combustible materials.
10.5	Incompatible Materials	Organic substances, strong acids, strong bases, powdered metal. This product contains an oxidizer; care should be taken to avoid exposing this substance to combustible materials.

Expires: 1 August 2014 Page: 7/12



Revision: 11.01GHS MATERIAL SAFETY DATA SHEET

E-Z POOL®

10.6 Hazardous Decomposition Product(s) Ammonia, Carbon oxides, Sulphur oxides, Copper oxides

Aluminum oxide and a variety of inorganic compounds

Date: 2 August 2011

containing potassium, sodium, calcium.

SECTION 11: TOXICOLOGICAL INFORMATION

SUBSTANCE.	CAS No.	LD₅₀ (Oral, Rat)	LC ₅₀ (Inhalation, Rat)	LD ₅₀ (Dermal, Rat)
Proprietary Ingredient	NR	802 mg/kg	NE	NE
Proprietary Ingredient	NR	NE	NE	NE
Proprietary Ingredient	NR	1650 mg/kg	NE	NE
Proprietary Ingredient	NR	6207 mg/kg	NE	NE
Copper II Sulfate,^ Pentahydrate	7758-98-7	300mg/kg	NE	NE
Avoid accumulation of dust.				

11.1 Information On Toxicological Effects

11.1.2 Mixtures

Acute Toxicity

Inhalation Harmful if inhaled. Causes respiratory tract irritation.

Skin Contact Causes severe skin irritation. Corrosive to skin.

Eye Contact Causes serious eye damage. Corrosive to eyes.

Ingestion Effects and Symptoms - Weakness, Headache, nausea and

vomiting, Bloodstained vomiting, Nausea, Bloodstained diarrhoea. May cause internal burns to digestive tract.

Irritation Causes eye irritation. May cause respiratory irritation. May

cause transient irritation. This product can moderately to

severely irritate to contaminated tissue.

Corrosivity Corrosive to skin and eyes.

Sensitisation The Oxidizer component is a skin and respiratory sensitizer;

contact with this product may cause allergic skin and

respiratory reaction in susceptible individuals.

Repeated Dose Toxicity May produce an allergic reaction in persons already

sensitised...

Carcinogenicity No data.

Mutagenicity No data.

Toxicity for Slight.

Reproduction

11.2 Other Information None

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Very toxic to algae. Very toxic to aquatic life with long lasting effects. Very toxic to aquatic invertebrates. Do not discharge cleaning water into small waters bodies. Do not empty into drains;

dispose of this material and its container in a safe way.

12.2 Persistence and Degradability No data12.3 Bioaccumulative Potential No data

Expires: 1 August 2014 Page: 8/12



MATERIAL SAFETY DATA SHEET Revision: 11.01GHS Date: 2 August 2011

E-Z POOL®

12.4 **Mobility In Soil** No data 12.5 Results Of PBT And vPvB

Assessment

No data.

12.6 Other Adverse Effects No data.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 **Waste Treatment Methods** Solid or chemical waste generators must determine whether a disca waste is classified as a harzardous waste. U.S. EPA guidelines for classifications determination are listed in 40 CFR parts 261.3. Dispo should be in accordance with local, state or national legislation. **Additional Information** Do not empty into drains; dispose of this material and its container 13.2 in a safe way.

SECTION 14: TRANSPORT INFORMATION

Land Transport (ADR/RID) (c)(d) Land Transport (Within USA) (b)(d) **UN Number UN Number UN 3077** UN 3077 Proper Shipping Name Environmentally Proper Shipping Name Environmentally hazardous hazardous substances, n.o.s. substances, n.o.s. Transport Hazard 9 Transport Hazard 9 Class(es) Class(es) Packing Group Ш Packing Group Ш Hazard Label(s) Class 9 Hazard Label(s) Class 9 (Miscellaneous (Miscellaneous Hazardous Material) Hazardous Material) **Environmental Hazards** Harmful Environmental Hazards Harmful Special Precautions For None **Special Precautions** None User For User Air Transport (ICAO/IATA) (c) (d) Sea Transport (IMDG) (c) **UN Number** UN 3077 **UN Number** UN 3077 **Proper Shipping Name Proper Shipping Name** Environmentally hazardous substances, n.o.s. Environmentally hazardous substances, n.o.s. (contains copper sulfate) (contains copper sulfate) Transport Hazard Class 9 Transport Hazard Class 9 (Miscellaneous Class(es) (Miscellaneous Class(es) Hazardous Material) Hazardous Material) Packing Group Ш Packing Group Ш Marine Pollutant P type marine Environmental Hazards None pollutant. Special Precautions For 274,909,944 **Special Precautions** A97 User For User

(b)- ORM-D may be applicable within the USA for package sizes less than 30kg.

(c)- Consult with transport provider.

(d)— Check relevant regulations for Special Provisions.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

MATERIAL SAFETY DATA SHEET E-Z POOL®

SECTION 15: REGULATORY INFORMATION

Date: 2 August 2011

15.1 Safety, Health And Environmental Regulations/Legislation Specific For The Substance

Or Mixture

15.1.1 EU Regulations

Authorisations And/Or Restrictions On Consult the supplier.

Use

European Union (EINECS/ELINCS) All chemicals listed.

German WGK Number 1

15.1.2 National Regulations

USA

TSCA (Toxic Substance Control Act) Listed.

SARA 311/312 - Hazard Categories Acute Health, Reactivity

SARA 302 - Extremely Hazardous None

Substances

SARA 313 - Toxic Chemicals None

CERCLA (Comprehensive Environmental 24000 lbs. RQ as soluble ammonium salt.

Response Compensation and Liability Act)

CAA (Clean Air Act 1990) None CWA (Clean Water Act) None

State Right to Know Lists

Listed as required

Proposition 65 (California) None listed.

Canada

WHMIS Classification Class E, D1B, D2A, D2B

Canada (DSL/NDSL) Listed - DSL

Canada Ingredient Disclosure List (CIDL) Listed as required.

15.2 Chemical Safety Assessment Oxidizer, Harmful By Ingestion, Corrosive, Irritant,

Respiratory sensitizer.

Expires: 1 August 2014 Page: 10/12



MATERIAL SAFETY DATA SHEET

E-Z POOL ®

Date: 2 August 2011

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND

ACGIH	American Conference Of Governmental Industrial Hygienists	NA	Not Applicable, Not Available
AICS	Australian Inventory Of Chemical Substances	NIOSH	National Institute For Occupational Safety And Health
ANSI	American National Standards Institute	ND	Not Determined
atm	Atmosphere (Pressure Unit)	NFPA	National Fire Prevention Association
BOD	Biological Oxygen Demand	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OC	Open Cup
CC	Closed Cup	OSHA	Occupational Safety And Health Administration
CDTA	Chemical Drug And Trafficking Act	Part	Partition
COC	Cleveland Open Cup	PEL	Permissible Exposure Limits
COD	Chemical Oxygen Demand	ppb	Parts Per Billion
coeff.	Coefficient	PPE	Personal Protective Equipment
CFR	Code Of Federal Regulations	ppm	Parts Per Million
CPR	Cardio-Pulmonary Resuscitation	psi	Pounds Per Square Inch
DEA	Drug Enforcement Agency	RCRA	Resource Conservation And Recovery Act
DOT	Department Of Transportation	RQ	Reportable Quantity
DSCL	Dangerous Substances Classification And Labeling	RTK	Right To Know
EEC	European Economic Community	SARA	Superfund Amendments And Reauthorization Act
FDA	Food And Drug Administration	STEL	Short-Term Exposure Limit
HMIS	Hazardous Materials Information System	SUSDP	Standard For The Uniform Scheduling Of Drugs And Poisons (Australia)
IARC	International Agency For Research On Cancer	TCC	Tagliabue Closed Cup
IDLH	Immediate Danger To Life Or Health	TDG	Transportation Of Dangerous Goods
kg	Kilogram	TPQ	Threshold Planning Quantity
L	Liter	TQ	Threshold Quantity
LC ₅₀	Median Lethal Concentration	TSCA	Toxic Substances Control Act
LD_{50}	Median Lethal Dose	TWA	Time-Weighted Average
LEL	Lower Explosive Limit	UEL	Upper Explosive Limit
mg	Milligram	WES	Workplace Exposure Standard (New Zealand)
mL	Milliliter	WHMIS	Workplace Hazardous Material Information System

References: RTECS, CAS Registry, EINECS/ESIS, Casarett & Doull's Toxicology, Goldfranks's Toxicological Emergencies, Manufacturer Information

Risk Phrases and Safety Phrases

R 8 Contact with combustible material may cause fire.

R22 Harmful if swallowed.

R36: Irritating to eyes.

R36/38: Irritating to eyes and skin.

R36/37/38 Irritating to eyes, respiratory system and skin.

R41 Risk of serious damage to eyes.

R42/43 May cause sensitization by inhalation and skin contact.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R52 Harmful to aquatic organisms.

S22 Do not breathe dust.

S24 Avoid contact with skin.

S26 In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S37 Wear suitable gloves.

S39 Wear eye/face protection.

S60 This material and its container must be disposed of as hazardous waste.

S61 Avoid release to the environment. Refer to special instructions/ Safety data

sheets.

Expires: 1 August 2014 Page: 11/12



MATERIAL SAFETY DATA SHEET E-Z POOL ®

Hazard Statements and Precautionary Statements

H272 May intensify fire; oxidiser.

H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

H371 May cause damage to organs. (Target organ effect Liver, Kidney Blood =Copper sulfate).

H400 Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

P220 Keep/Store away from clothing/ combustible materials.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

P330 Rinse mouth.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P501 Dispose of contents/ container to an approved waste disposal plant.

Training Advice: None

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. ChemTel Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. ChemTel Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Expires: 1 August 2014 Page: 12/12



Date: 2 August 2011