FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL: 1-800-654-6911 (OUTSIDE

USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®: 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)

FOR ALL SDS QUESTIONS & REQUESTS, CALL: 1-800-511-MSDS (OUTSIDE

USA: 1-423-780-2347)

PRODUCT NAME: E-Z Clor Drop Out

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

SupplierREVISION DATE:05/26/2015SCP Distributors LLCSUPERCEDES:05/13/2009

109 Northpark Boulevard ,
Covington, LA, 70433-5001

MSDS Number: 000000024421 SYNONYMS: 000000024421

Telephone: +19858925521 CHEMICAL FAMILY: None

Telefax: +19858921657

Telefax: +19858921657

Web:

DESCRIPTION / USE None established None established

Manufacturer
Advantis Technologies
1200 Bluegrass Lakes Parkway
Alpharetta, GA 30004

United States of America

## **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Skin corrosion : Category 1B

Serious eye damage : Category 1

**GHS Label element** 

Hazard pictograms

Signal word : Danger

E-Z Clor Drop Out

REVISION DATE: 05/26/2015 Page 1 of 10

Hazard statements : H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Precautionary statements : **Prevention:** 

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON

CENTER or doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER

or doctor/ physician.

P312 Call a POISON CENTER or doctor/ physician if you feel

unwell.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

### Other hazards

None known.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS OR CHEMICAL NAME CAS# % RANGE

ALUMINUM CHLORIDE 7446-70-0

2-PROPEN-1-AMINIUM, N,N-DIMETHYL-

N-2-PROPENYL-, C

26062-79-3

ALUMINUM CHLORIDE 7446-70-0 >= 10 - < 20

## **SECTION 4. FIRST AID MEASURES**

E-Z Clor Drop Out

REVISION DATE: 05/26/2015 Page 2 of 10

Inhalation: IF INHALED: Remove individual to fresh air. Seek medical attention if breathing

becomes difficult or if respiratory irritation develops. If not breathing, give artificial

respiration. Call for medical assistance.

Skin Contact: IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing

comes in contact with the product, the clothing should be removed immediately

and laundered before re-use. Seek medical attention if irritation develops.

Eye Contact: IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes.

Seek medical attention immediately.

Ingestion: IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless

directed to do so by a physician. Never give anything by mouth to an unconscious

person.

Notes to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

## SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or

explosive.

Flammable Properties

Flash Point: Not applicable

Fire / Explosion Hazards: Material will not ignite or burn.

Extinguishing Media: Choose extinguishing media suitable for surrounding materials.

Fire Fighting Instructions: Use water spray to cool unopened containers. In case of fire, use

normal fire-fighting equipment and the personal protective

equipment recommended in Section 8 to include a NIOSH approved

self-contained breathing apparatus.

Hazardous Combustion Products: During a fire, irritating and highly toxic gases may be generated by

thermal decomposition or combustion.

Upper Flammable / Explosive Limit,

% in air:

Lower Flammable / Explosive Limit,

% in air:

no data available

no data available

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency

Situations:

Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to

boots, impervious gloves, hard hat, splash-proof goggles,

impervious clothing, i.e., chemically impermeable suit, self-contained

breathing apparatus.

**Spill Mitigation Procedures** 

Air Release: Hazardous concentrations in air may be found in local spill area and

immediately downwind. Vapors may be suppressed by the use of

water fog.

Water Release: This material is soluble in water. Notify all downstream users of

possible contamination. Divert water flow around spill if possible and

safe to do so.

E-Z Clor Drop Out

REVISION DATE: 05/26/2015 Page 3 of 10

Land Release: Contain spillage, soak up with non-combustible absorbent material,

(e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Avoid runoff into storm sewers and ditches which lead to

waterways.

Additional Spill Information: Stop source of spill as soon as possible and notify appropriate

personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all nonessential personnel. Dispose of spill residues per guidelines under

Section 13, Disposal Consideration.

# **SECTION 7. HANDLING AND STORAGE**

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. If

in eyes or on skin, rinse well with water. Avoid breathing vapours,

mist or gas.

Storage: Store in a cool, dry and well ventilated place. Isolate from

incompatible materials. Do not freeze.

Incompatible Materials for Storage:

Refer to Section 10, "Incompatible Materials."

Empty Container Warning: Empty containers retain hazardous residue, dispose of accordingly.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation is recommended if vapors, mists or aerosols are

generated. Otherwise, use general exhaust ventilation. No exposure limits

exist for the constituents of this product.

Protective Equipment for Routine Use of Product

Respiratory Protection: Respiratory protection not normally needed., If vapors, mists or aerosols are

generated, wear a NIOSH approved respirator., Wear a NIOSH approved

N95 respirator.

Skin Protection: Avoid contact with skin. Impervious gloves Boots Apron A full impervious suit

is recommended if exposure is possible to a large portion of the body.

Eye Protection: Chemical resistant goggles must be worn. Face-shield

Protective Clothing Type: impervious clothing

General Protective Ensure that eyewash stations and safety showers are close to the

Measures: workstation location.

#### Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
ALUMINUM CHLORIDE (7446-70-0)	TWA	1 mg/m3	ACGIH (02 2014)
ALUMINUM CHLORIDE (7446-70-0)	TWA	1 mg/m3	ACGIH (02 2014)

E-Z Clor Drop Out

REVISION DATE: 05/26/2015 Page 4 of 10

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State: liquid Form liquid Color: clear Odor: None

Molecular Weight: None established

pH: 1.5 - 2.0

()

Boiling Point: 219.9 °F (104.4 °C)

Melting point/freezing No data

point

Bulk Density: ()

no data available

Vapor Pressure: no data available
Vapor Density: no data available
Viscosity: no data available
Solubility in Water: soluble in cold water

Partition coefficient n-

No data.

octanol/water:

Evaporation Rate: no data available Oxidizing: None established Volatiles, % by vol.: no data available

VOC Content no data available This product does not contain any chemicals

listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

HAP Content Not applicable

## **SECTION 10. STABILITY AND REACTIVITY**

Stability and Reactivity Summary:

Conditions to Avoid:

Chemical Incompatibility:

Stable under normal conditions.

High temperatures, Avoid freezing.

Oxidizing agents, Metals, alkalis

Hazardous Decomposition Products: hydrochloric acid

Decomposition Temperature: No data

## SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

ALUMINUM CHLORIDE LD50 = 3,450 mg/kg Rat 2-PROPEN-1- LD50 > 5,000 mg/kg Rat

AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, C

E-Z Clor Drop Out

REVISION DATE: 05/26/2015 Page 5 of 10

ALUMINUM CHLORIDE LD50 = 3,450 mg/kg Rat

Component Animal Toxicology

<u>Dermal LD50 value</u>:

ALUMINUM CHLORIDE LD50 > 2,000 mg/kg Rabbit 2-PROPEN-1- LD50 > 20,000 mg/kg Rabbit

AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, C

ALUMINUM CHLORIDE LD50 > 2,000 mg/kg Rabbit

Component Animal Toxicology

Inhalation LC50 value:

ALUMINUM CHLORIDE LC50 no data available

2-PROPEN-1- No data

AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, C

ALUMINUM CHLORIDE LC50 no data available

**Product Animal Toxicity** 

<u>Oral LD50 value</u>: LD50 Believed to be > 5,000 mg/kg Rat <u>Dermal LD50 value</u>: LD50 Believed to be > 2,000 mg/kg Rabbit

<u>Inhalation LC50</u> no data available

value:

Skin Irritation: Corrosive to skin
Eve Irritation: Corrosive to eyes

Skin Sensitization: Not believed to be sensitising to skin.

Acute Toxicity: This product is corrosive to all tissues contacted and upon inhalation, may cause

irritation to mucous membranes and respiratory tract.

Subchronic / Chronic Not known or reported to cause subchronic or chronic toxicity.

Toxicity:

Reproductive and Not known or reported to cause reproductive or developmental toxicity.

Developmental Toxicity:

Mutagenicity: Not known or reported to be mutagenic.

ALUMINUM CHLORIDE This material has been shown to be non-mutagenic in

the majority of a battery of assays. Not expected to be a

mutagenic hazard.

This material has been shown to be non-mutagenic in the majority of a battery of assays. Not expected to be a

mutagenic hazard.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference

source including IARC, OSHA, NTP or EPA.

E-Z Clor Drop Out

REVISION DATE: 05/26/2015 Page 6 of 10

# **SECTION 12. ECOLOGICAL INFORMATION**

Overview: Slightly toxic to fish and other aquatic organisms.

**Ecological Toxicity Values - Product:** 

LC50 Believed to be approximately 10.8 mg/l (calculated)

Ecological Toxicity Values for: ALUMINUM CHLORIDE

Rainbow trout (Oncorhynchus - 96 h LC50 6.1 mg/l

mykiss)

Mosquito fish - 96 h LC50 27.1 mg/l

Daphnia magna, - 48 h LC50 3.9 mg/l

Ecological Toxicity Values for: 2-PROPEN-1-AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, C

Bluegill sunfish - 96 h LC50 = 0.82 - 1.3 mg/l, (40% Solution)

Rainbow trout (Salmo gairdneri), - 96 h LC50 0.37 mg/l (40% Solution)

Daphnia magna, - 48 h LC50= 0.9 mg/l (In clear water), (40% Solution)

Daphnia magna, - 48 h LC50= 1.2 - 2.5 mg/l, (In 50 ppm clay suspension), (40%

Solution)

Daphnia magna, - 48 h LC50= 24.8 mg/l (In 1000 ppm clay suspension), (40%

Solution)

Ecological Toxicity Values for: ALUMINUM CHLORIDE

Rainbow trout (Oncorhynchus - 96 h LC50 6.1 mg/l

mykiss)

Mosquito fish - 96 h LC50 27.1 mg/l

Daphnia magna, - 48 h LC50 3.9 mg/l

## **SECTION 13. DISPOSAL CONSIDERATIONS**

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it will be a hazardous waste.

Disposal Methods: As a hazardous liquid waste it must be disposed of in accordance

E-Z Clor Drop Out

REVISION DATE: 05/26/2015 Page 7 of 10

with local, state and federal regulations.

## **SECTION 14. TRANSPORT INFORMATION**

DOT

UN number : 2581

Description of the goods : Aluminum chloride, solution

Class : 8
Packing group : III
Labels : 8
Emergency Response : 154

Guidebook Number

TDG

UN number : 2581

Description of the goods : ALUMINUM CHLORIDE SOLUTION

Class : 8 Packing group : III Labels : 8

IATA

UN number : 2581

Description of the goods : Aluminium chloride solution

Class : 8
Packing group : III
Labels : 8
Packing instruction (cargo : 856

aircraft)

Packing instruction : 852

(passenger aircraft)

Packing instruction : Y841

(passenger aircraft)

**IMDG-CODE** 

UN number : 2581

Description of the goods : ALUMINIUM CHLORIDE SOLUTION

Class : 8
Packing group : III
Labels : 8
EmS Number 1 : F-A
EmS Number 2 : S-B

## **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

E-Z Clor Drop Out

REVISION DATE: 05/26/2015 Page 8 of 10

#### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

Massachusetts Right To Know

aluminium chloride 7446-70-0

Pennsylvania Right To Know

aluminium chloride 7446-70-0

**New Jersey Right To Know** 

aluminium chloride 7446-70-0 2-Propen-1-aminium, N,N- 26062-79-3

dimethyl-N-2-propenyl-, chloride, homopolymer

### California Prop 65

E-Z Clor Drop Out

REVISION DATE: 05/26/2015 Page 9 of 10

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### The components of this product are reported in the following inventories:

TSCA : The components of this product are listed on the TSCA

Inventory of Existing Chemical Substances.

#### **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

## **SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: First formulated version in SAP.

Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.

E-Z Clor Drop Out

REVISION DATE: 05/26/2015 Page 10 of 10