



landscape • entertainment • architectural • hospitality • illumination

DL-21 SERIES DIRECTIONAL LIGHTS





DIRECTIONAL LIGHTS DL-21 SERIES



TYPE

SPECIFICATIONS

CONSTRUCTION: Cast aluminum, brass or composite Bullet; matching cast aluminum, brass or composite adjustable swivel

LENS: High impact clear tempered convex glass

O-RING: High temperature red silicone

LAMP SUPPLIED: 40,000 hour 3w ARROW Super Saver MR16 LED (-LED3)

LAMP OPTIONS: We recommend 40,000 hour 5w (-LED5) or 7w (-LED7) ARROW Super Saver MR16 LED, or 5,000 hour 20w MR16 FL(BAB) Halogen

NOTE: ARROW MR16 LED must be factory installed to fit properly

SOCKET: High temperature ceramic GU5.3 bi-pin with 250°C silicone lead wires

WIRING: Black 3 foot 18/2 zip cord from base of fixture (12v only)
For 25 foot 16/2 fixture lead wire add -25F to catalog number.


CONNECTION: FA-05 Quick Connector (not supplied) from fixture to main cable (12/2, 10/2 or 8/2 only)

MOUNTING: FA-03 black 9" ABS stake threaded 1/2" NPS

FINISH: Aluminum-Black texture polyester powder coat. Optional finishes available
Brass-Unfinished brass. Optional finishes available



DL-21-BRS
mounted on
FA-24-BRS




ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	LAMP	SHIP WEIGHT
DL-21-LED3-BLT	Cast Aluminum Bullet	3w MR16 LED 36° FL	2.0 lbs.
DL-21-LED3-BRS	Cast Brass Bullet	3w MR16 LED 36° FL	3.0 lbs.
CDL-21-LED3	Composite Bullet	3w MR16 LED 36° FL	2.0 lbs.



MOUNTING ACCESSORIES



BEAM/GLARE CONTROL ACCESSORIES

FA-08-21	Round 1/8" Hex Cell Louver
FA-11-BLUE	Blue Tempered Glass Lens
FA-11-GREEN	Green Tempered Glass Lens
FA-98	Linear Spread Tempered Glass Lens
FA-99	High Impact Clear Tempered Convex Glass
FA-104	Wide Spread Tempered Glass Lens Softener

JOB INFORMATION

Type: _____ Date: _____

Job Name: _____

Cat. No.: _____

Lamp(s): _____

Specifier: _____

Contractor: _____

Notes: _____

FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA 92630

www.focusindustries.com
sales@focusindustries.com
(949) 830-1350 • FAX (949) 830-3390

















Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT



DIRECTIONAL LIGHTS DL-21-SERIES

TYPE

LIGHT DISTRIBUTIONS AND PHOTOMETRICS



Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT