



landscape • entertainment • architectural • hospitality • illumination

# SL-08 STEP LIGHTS





# BRICK LIGHTS SL-08 12 VOLT SERIES



TYPE

## SPECIFICATIONS

### CONSTRUCTION:

FACE PLATE: Cast aluminum or brass

BACK BOX: Aluminum models- Cast aluminum powder coated high reflective white

Brass models- Unfinished cast brass

**LENS SL-08:** Clear tempered flat glass

**LENS SL-08-AL:** White acrylic lens

**GASKET:** Black neosponge closed cell; .190" thickness

**LAMP SUPPLIED:** 2x 18w S8 #1141; 1200 hours average rating (25w max)

**LAMP OPTIONS:** We recommend 10,000 hours average rating Xenon (-X) or Halogen (-H) or 3w 50,000 hours average rating OMNI-3 LED (-LED3)

**SOCKET:** Single contact bayonet, brass nickel plated lamp socket screw shell (Ba15s) with 200°C silicone lead wires


**WIRING:** Black 3 foot 18/2 zip cord (12v only)

For 25 foot 16/2 fixture lead wire add -25F to catalog number.

**CONNECTION:** FA-05 Quick Connector (not supplied) from fixture to main cable (12/2, 10/2 or 8/2 only)

**FINISH:** Aluminum - Black texture polyester powder coat. Optional finishes available  
Brass - Unfinished. Optional finishes available

**NOTE:** 1/2" end holes for feed through available. Specify at time of order.




SL-08-BRS



SL-08-AL-BAV

## ORDERING INFORMATION


CATALOG NO.	DESCRIPTION	LAMP	SHIP WEIGHT
SL-08-BLT	Cast Aluminum 3 Louver Brick Light	18w S8 #1141	3.0 lbs.
SL-08-BRS	Cast Brass 3 Louver Brick Light	18w S8 #1141	7.0 lbs.
SL-08-AL-BLT	Cast Aluminum Lensed Brick Light	18w S8 #1141	3.0 lbs.
SL-08-AL-BRS	Cast Brass Lensed Brick Light	18w S8 #1141	6.0 lbs.




SL-08 Back Box

## FACE PLATE ONLY

CATALOG NO.	DESCRIPTION
FA-54-BLT	12v Cast Aluminum 3 Louver Face Plate
FA-54-BRS	12v Cast Brass 3 Louver Face Plate
FA-55-BLT	12v Cast Aluminum Lensed Face Plate, White Acrylic Lens
FA-55-BRS	12v Cast Brass Lensed Face Plate, White Acrylic Lens



SL-08



SL-08-AL

SL-08: Mounting Holes on all models 7-1/2" on center



## BACK BOX/SOCKET/LAMP ONLY

CATALOG NO.	DESCRIPTION	LAMP
FA-60	Cast Aluminum back box with lamp and socket	2x 18w S8 #1141
FA-60-H	Cast Aluminum back box with lamp and socket	2x 20w halogen SC
FA-60-X	Cast Aluminum back box with lamp and socket	2x 20w xenon SC
FA-60-NL	Cast Aluminum back box with socket	None, 2 x Ba15s sockets
FA-60-BRS	Cast Brass back box with lamp and socket	2x 18w S8 #1141
FA-60-H-BRS	Cast Brass back box with lamp and socket	2x 20w halogen SC
FA-60-X-BRS	Cast Brass back box with lamp and socket	2x 20w xenon SC
FA-60-NL-BRS	Cast Brass back box with socket	None, 2 x Ba15s sockets

## JOB INFORMATION

Type: \_\_\_\_\_ Date: \_\_\_\_\_

Job Name: \_\_\_\_\_

Cat. No.: \_\_\_\_\_

Lamp(s): \_\_\_\_\_

Specifier: \_\_\_\_\_

Contractor: \_\_\_\_\_

Notes: \_\_\_\_\_

FOCUS INDUSTRIES INC.  
25301 COMMERCENTRE DRIVE  
LAKE FOREST, CA 92630

www.focusindustries.com  
sales@focusindustries.com  
(949) 830-1350 • FAX (949) 830-3390


Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT






# BRICK LIGHTS SL-08 12 VOLT SERIES


## LIGHT DISTRIBUTIONS AND PHOTOMETRICS




SL-08 Half Spread Photometrics




SL-08 Half Spread Photometrics




SL-08-AL Half Spread Photometrics



SL-08-AL Half Spread Photometrics



SL-08-T10 Half Spread Photometrics



SL-08-T10 Half Spread Photometrics

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT