

T°COOI® Sand Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1.1. Identification				
Product form	: Mixture			
Product name	: T°Cool® Sand			
1.2. Relevant identified uses of the	Relevant identified uses of the substance or mixture and uses advised against			
No additional information available		gamer		
1.3. Details of the supplier of the sa	afoty data shoot			
Tatro Inc 3203 Jenny Lind Road Amelia, Ohio 45102 513-679-1519				
1.4. Emergency telephone number				
Emergency number	: 513-885-8287			
SECTION 2. Hozard(a) identificat	lion			
SECTION 2: Hazard(s) identificat 2.1. Classification of the substance				
	or mixture			
Classification (GHS-US)	alation			
Carc. 1A H350 - May cause cancer (Inh. Full text of H-phrases: see section 16				
1 un text of 11-philases. See Section 10				
2.2. Label elements				
GHS-US labeling	•			
Hazard pictograms (GHS-US)				
Signal word (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US)	GHS08 Danger H350 - May cause cancer (Inhalation P201 - Obtain special instructions by P202 - Do not handle until all safety P280 - Wear eye protection, protect P308+P313 - If exposed or concern P405 - Store locked up P501 - Dispose of contents/contain	before use y precautions have been tive gloves, protective hed: Get medical advice	clothing e/attention	
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS L	JS)			
Not applicable				
SECTION 3: Composition/inform	ation on ingredients			
3.1. Substance				
Not applicable				
3.2. Mixture				
Name	Product identifier	%	Classification (GHS-US)	
Quartz	(CAS No) 14808-60-7	> 99	Carc. 1A, H350	
Full text of H-phrases: see section 16		1		
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	: Never give anything by mouth to ar		If you feel unwell, seek medical	
r not ala medoareo general	advice (show the label where possi	ble).		
First-aid measures after inhalation	advice (show the label where possi : Allow victim to breathe fresh air. Al	,		

First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed
	by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and ef	fects, both acute and delayed
No additional information available	
4.3. Indication of any immediate medi No additional information available	cal attention and special treatment needed
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: Not flammable.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release me	easures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
	: Equip cleanup crew with proper protection.
Emergency procedures	: Equip cleanup crew with proper protection. : Ventilate area.
Emergency procedures 6.2. Environmental precautions	: Ventilate area.
Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. No	: Ventilate area.
Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. No 6.3. Methods and material for contain	: Ventilate area.
Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. No 6.3. Methods and material for contain	: Ventilate area.
Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. No 6.3. Methods and material for contain Methods for cleaning up	 Ventilate area. btify authorities if liquid enters sewers or public waters. ment and cleaning up On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away
Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. No 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections	 Ventilate area. bitify authorities if liquid enters sewers or public waters. ment and cleaning up On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.
Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. No 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and persor	 Ventilate area. bitify authorities if liquid enters sewers or public waters. ment and cleaning up On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.
Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. No 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and persor SECTION 7: Handling and storage 7.1. Precautions for safe handling	 : Ventilate area. btify authorities if liquid enters sewers or public waters. ment and cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.
Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. No 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and persor SECTION 7: Handling and storage 7.1. Precautions for safe handling	 : Ventilate area. bitify authorities if liquid enters sewers or public waters. ment and cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials. hal protection. : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation
Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. No 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and persor SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling	 Ventilate area. bitify authorities if liquid enters sewers or public waters. ment and cleaning up On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials. hal protection. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. No 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and persor SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling 7.2. Conditions for safe storage, inclu	 Ventilate area. bitify authorities if liquid enters sewers or public waters. ment and cleaning up On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials. hal protection. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
 Prevent entry to sewers and public waters. No. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and persor SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling 	 Yentilate area. bitly authorities if liquid enters sewers or public waters. ment and cleaning up On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials. nal protection. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Iding any incompatibilities Store in a well-ventilated place. Store in original container. Keep container closed when not in

Quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m ³ (respirable fraction)
OSHA	Remark (OSHA)	(3) See Table Z-3.

T°Cool® Sand

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Color	: white tan	
Odor	: None	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: 2930 °F	
Freezing point	: No data available	
Boiling point	: 4046 °F	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Vapor pressure	: No data available	
Relative density	: No data available	
Relative vapor density at 20 °C	: No data available	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivit	ky .	
10.1. Reactivity		
No additional information available		

No additional information available

 10.2.
 Chemical stability

 Not established.

 10.3.
 Possibility of hazardous reactions

 Not established.

 10.4.
 Conditions to avoid

 Extremely high or low temperatures.

 10.5.
 Incompatible materials

 Oxidizing agent. Strong acids. Strong bases.

 10.6.
 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

T°Cool® Sand

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Quartz (14808-60-7)	
LD50 oral rat	500 mg/kg
ATE US (oral)	500.000 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer (Inhalation).
Quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens
In OSHA Hazard Communication Carcinogen list	Yes
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
SECTION 12: Ecological information	

	SN 12. Leological information	
12.1.	Toxicity	
No additi	onal information available	
12.2.	Persistence and degradability	
T°Cool	® Sand	
Persiste	ence and degradability	Not established.
12.3.	Bioaccumulative potential	
T°Cool	® Sand	
Bioaccu	umulative potential	Not established.
12.4.	Mobility in soil	
No additi	onal information available	
12.5.	Other adverse effects	
Effect on	the global warming :	No known ecological damage caused by this product.

Other information

: Avoid release to the environment.

SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT) In accordance with DOT Not regulated for transport

T°Cool® Sand

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information	
15.1. US Federal regulations	
Quartz (14808-60-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

15.2. International regulations

CANADA

Quartz (14808-60-7)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification Class D Division 2 Subdivision A - Very toxic material causing other toxic effects		

EU-Regulations

No additional information available

National regulations

Quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ENCS (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed as carcinogen on NTP (National Toxicology Program) Listed on the Canadian IDL (Ingredient Disclosure List) Listed on INSQ (Mexican national Inventory of Chemical Substances) Listed on Turkish inventory of chemical

15.3. US State regulations

U.S California - Proposition 65 - Carcinogens ListU.S California - Proposition 65 - Developmental ToxicityU.S California - Proposition 65 - Reproductive Toxicity - FemaleU.S California - Proposition 65 - Reproductive Toxicity - MaleNo significant risk level (NSRL)YesNoNoNo	Quartz (14808-60-7)				
Yes No No No	Proposition 65 -	Proposition 65 -	Proposition 65 - Reproductive Toxicity -	Proposition 65 - Reproductive Toxicity -	•
	Yes	No	No	No	

Quartz (14808-60-7)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Other information

: None.

Full text of H-phrases:

Carc. 1A	Carcinogenicity Category 1A
H350	May cause cancer

Hydrochill Sand X

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
	* - Chronic (long-term) health effects may result from repeated overexposure
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
SDS US (GHS HazCom 2012)	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product