Nature's Own® X9000

SAFETY DATA SHEET

EFFECTIVE DATE: June 1, 2015

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: NATURE'S OWN® X9000 CHEMICAL NAME/SYNONYM: Hydroseeding Mulch

Annually renewable organic fiber, cellulose fiber, polymer based tackifier

MANUFACTURER: Hamilton Manufacturing, Inc.

ADDRESS: 901 Russet Street

Twin Falls, ID 83301

EMERGENCY PHONE: (208) 733-9689

RECOMMENDED USE: Hydroseeding Mulch

SECTION 2: HAZARDS IDENTIFICATION

Emergency Overview: This product does not contain regulated levels of hazardous ingredients as defined in OSHA STANDARD 29 CFR 1910.1000.

NaturesOwn® X9000 mulch is a green, odorless blend of an annually renewable organic fiber, cellulose fiber and a polymer based tackifier treated with harmless green liquid for color application control. This product does <u>not</u> present any unusual hazard if involved in a fire. NaturesOwn® X9000 mulch presents little or no hazard (to humans) and has low acute oral and dermal toxicity.

OSHA HAZARD CLASSIFICATION:

OSHA HAZARD PICTOGRAM:



SIGNAL WORD: WARNING

HAZARD STATEMENTS:

H361: Suspected of damaging fertility or the unborn child.

PRECAUTIONARY STATEMENTS:

P202: Do not handle until all safety precautions have been read and understood.

P281: Use personal protective equipment as required.

P308+P313: IF exposed or concerned: Get medical advice/attention. P501: Dispose of contents/container in accordance with local regulation.

OTHER HAZARDS WHICH DO NOT RESULT IN CLASSIFICATION: None.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Concentration %	Other Identifiers
GUAR GUM	9000-30-0	0.1-1.0	

Notes: Concentrations are expressed in % weight/weight

SECTION 4: FIRST AID MEASURES

<u>Inhalation:</u> No special treatment is necessary since NaturesOwn® X9000 mulch is not likely to be hazardous by inhalation. Prolonged exposure to dust levels in excess of regulatory limits should always be avoided.

Eye Contact: Use eye wash fountain or fresh water to cleanse eye. If irritation persists for more than 30 minutes, seek medical attention.

Skin Contact: Wash affected area with soap and water.

<u>Ingestion:</u> If swallowed, give two glasses of water to drink and seek medical attention.

SECTION 5: FIRE-FIGHTING MEASURES

General Hazard: None when in solution.

Flash Point: Not Applicable Flammable Limits LEL: 1

PAGE 1 OF 3 DATE: 01/01/15

Nature's Own® X9000

SAFETY DATA SHEET

EFFECTIVE DATE: June 1, 2015

Flammable Limits UEL: Not Applicable

Extinguishing Media: Water Special Fire Fighting Procedure: None Unusual Fire & Explosion Hazards: None

SECTION 6: ACCIDENTAL RELEASE MEASURES

General: NaturesOwn® X9000 mulch is biodegradable and will not cause damage to trees or vegetation by root absorption.

Land Spill: Vacuum, shovel or sweep up NaturesOwn® X9000 mulch and place containers for disposal in accordance with applicable state and local regulations. No personal protective equipment is needed to clean up land spills.

<u>Water Spill:</u> NaturesOwn® X9000 mulch will <u>not</u> cause localized contamination of surrounding waters. There is no known damage at high concentrations to local vegetation, fish and other aquatic life. This products inherent design is to be used with other compatible revegetation products.

SECTION 7: HANDLING AND STORAGE

Storage Temperature: Ambient

Storage Pressure: Atmospheric Special Sensitivity: None known.

<u>General:</u> No special handling precautions are required, but dry, indoor storage is recommended. To maintain package integrity, bags should be handled on a "first-in, first-out" basis.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use local exhaust ventilation to keep airborne concentrations of NaturesOwn® X9000 mulch dust below permissible exposure

<u>Personal Protection:</u> Where airborne concentrations are expected to exceed exposure limits, NIOSH/MSHA certified respirators must be used. Eye goggles and gloves are not required for normal industrial exposures, but may be warranted if environment is excessively dusty.

Occupational Exposure Limits: NaturesOwn® X9000 mulch is listed/regulated by OSHA, Cal OSHA and ACGIH as "Particulate Not Otherwise Classified" or "Nuisance Dust".

OSHA: PEL* I5 mg/m³ total dust and 5 mg/m³ respirable dust

*PEL = "Permissible Exposure Limit"

ACGIH: TLV** 5 mg/m³ (respirable) **TLV = "Threshold Limit Value"

Cal OSHA: PEL* 5 mg/m³

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Green, fiber
Specific Gravity: Not Established
Vapor Pressure: Not Applicable

Solubility in Water: Insoluble, Dispersible

Boiling Point:

Melting Point:

Not Established

Not Applicable

Ph: Not Applicable

Viscosity: Not Applicable

Not Applicable

Not Applicable

Not Applicable

Not Applicable

Not Applicable

Viscosity: Not Applicable
Chemical: Green Liquid Less than 2%

Surfactant Less than 2%

Fibrous Medium: Greater than 96%

SECTION 10: STABILITY AND REACTIVITY

General: NaturesOwn® X9000 mulch is a stable product.

Hazardous Decomposition: Thermal decomposition may produce carbon monoxide and carbon dioxide.

SECTION 11: TOXICOLOGICAL INFORMATION

Rates of Exposure: Inhalation is the most significant route of exposure in occupational and other settings. Dermal exposure is not usually a concern because Nature's Own® X-9000 mulch is not absorbed through intact skin.

Inhalation: NaturesOwn® X9000 mulch is not likely to be hazardous by inhalation.

Eye Contact: NaturesOwn® X9000 mulch is non-irritating to eyes in normal industrial use.

Skin Contact: NaturesOwn® X9000 mulch does not cause irritation to intact skin.

Ingestion: Products containing NaturesOwn® X9000 mulch are not intended for ingestion. NaturesOwn® X9000 mulch has a relatively low acute toxicity. Swallowing large amounts may cause gastrointestinal symptoms.

Cancer: NaturesOwn® X9000 mulch is not considered a carcinogen.

PAGE 2 OF 3 DATE: 01/01/15

SAFETY DATA SHEET

EFFECTIVE DATE: June 1, 2015

SECTION 12: ECOLOGICAL INFORMATION

This products inherent design is used with revegetation and is not harmful to ecological systems.

SECTION 13: DISPOSAL CONSIDERATIONS

<u>Disposal Guidance:</u> Small quantities of NaturesOwn® X9000 mulch can usually be disposed of at Municipal Landfill sites. No specific disposal treatment is required, but refer to state and local regulations for applicable site-specific requirements. Tonnage quantities of product are not recommended to be sent to landfills. Such product should, if possible, be re-used for an appropriate application.

California Hazardous Waste Designation: California identifies substances with acute LD50's less than 5000 mg/kg as "hazardous wastes".

NaturesOwn® X9000 mulch is therefore not a "hazardous waste" if spilled in California. Refer to Regulatory Information for additional information.

SECTION 14: TRANSPORT INFORMATION

<u>DOT Hazardous Material Classification:</u> NaturesOwn® X9000 mulch is <u>not</u> a U. S. Department of Transportation (DOT) Hazardous Material.

<u>DOT Hazardous Substance Classification:</u> NaturesOwn® X9000 mulch is <u>not</u> a DOT Hazardous Substance.

International Transportation: NaturesOwn® X9000 mulch has no U. N. Number, and is not regulated under international rail, highway, water, or air transport regulations.

SECTION 15: REGULATORY INFORMATION

National Fire Protection Association (NFPA) Classification:

Health - 0

Flammability - 1

Reactivity - 0*

Hazardous Materials Information Systems (HMIS):

Red: (Flammability) - 1 Yellow: (Reactivity) - 0 Blue: (Acute Health) - I*

*Chronic Effects

SECTION 16: OTHER INFORMATION

Definition of Common Terms:

ACGIH = American Conference of Governmental Industrial Hygienists

C = Ceiling Limit

CAS# = Chemical Abstracts System Number
IARC = International Agency for Research on Cancer
MSHA = Mining Safety and Health Administration

NAP = Not Applicable
NAV = Not Available

NIOSH = National Institute for Occupational Safety and Health

NTP = National Toxicology Program

OSHA = Occupational Safety and Health Administration

PEL = Permissible Exposure Limit

STEL = Short-Term Exposure Limit (15 minutes)

TLV = Threshold Limit Value

TWA = Time-Weighted Average (8 hours)

INFORMATION PRESENTED HEREIN HAS BEEN COMPILED FROM SOURCES CONSIDERED DEPENDABLE, ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE AND BELIEF, BUT IT IS NOT GUARANTEED TO BE SO.

NOTHING HEREIN IS TO BE CONSTRUED AS RECOMMENDING ANY PRACTICE OR ANY PRODUCT IN VIOLATION OF ANY PATENT OR IN VIOLATION OF ANY LAW OR REGULATION. IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE SUITABILITY OF ANY MATERIAL FOR A SPECIFIC PURPOSE AND ADOPT NECESSARY SAFETY PRECAUTIONS.

WE MAKE NO WARRANTY AS TO RESULTS TO BE OBTAINED IN USING ANY MATERIAL AND, SINCE CONDITIONS OR USE ARE NOT UNDER OUR CONTROL, WE MUST NECESSARILY DISCLAIM ALL LIABILITY WITH RESPECT TO USE OF ANY MATERIAL SUPPLIED BY US.

PAGE 3 OF 3 DATE: 01/01/15