# Product Name: OPTILON, BLUE ICE Product Code: 852

### **SECTION 1: IDENTIFICATION**

 
 Product Name
 OPTILON, BLUE ICE

 Product Code #
 852

 Identified Uses
 Protective Coating

 Manufacturer:
 Kelley Technical Coatings 1445 South 15<sup>th</sup> Street P.O. Box 3726 Louisville, Kentucky 40201-3726

 Emergency Contact Number:
 Day: 502-636-2561

 Information Telephone Number:
 502-636-2561

## SECTION 2: HAZARDS IDENTIFICATION

#### **GHS Classification**

Flammable Liquid 3 Aspiration Hazard 1 Skin Irritant 2 Eye Damage/Irritation 2A Acute Toxicity - Inhalation 4 Carcinogenicity 2 Specific Target Organ Toxicity (Single Exposure) 3

## **GHS Label Elements**

Hazard Symbols



## Signal Word Danger

### **Hazard Statements**

H226 Flammable liquid and vapor

- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H351 Suspected of causing cancer
- H336 May cause drowsiness or dizziness

### **Precautionary statements**

Prevention

- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat/sparks/open flames/hot surfaces. No Smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/fume/gas/mist/vapor/spray.
- P271 Use only outdoors or in well-ventilated area.
- P280 Wear PPE to protect skin/eyes.
- P281 Use personal protective equipment as required.

#### Response

- P312 Call a poison center or doctor if you feel unwell.
- P363 Wash contaminated clothing and wash before reuse.
- P301 + P310 If swallowed: Immediately call a poison center or doctor.
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P308 + P313 IF exposed or concerned: Get medical advice/attention.
- P332 + P313 If skin irritation occurs: Get medical advice/attention.

# SAFETY DATA SHEET

# Product Name: OPTILON, BLUE ICE Product Code: 852

	<ul> <li>P337 + P313 If eye irritation persists: Get medical advice/attention.</li> <li>P370 + P378 In case of fire: Use ABC Dry Chemical for extinction.</li> <li>P303 + P361 + P353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> </ul>
Storage/ Disp	oosal
	P405 Store locked up.
	P501 Dispose of contents/container in accordance with federal, state, provincial, and local regulations.
	P403 + P233 Store in well ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

**Other Hazards** 

OSHA Regulatory Status: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR1910.1200)

## SECTION 3: COMPOSITION INFORMATION

Chemical Designation	CAS No.	% by Weight
nepheline syenite	37244-96-5	20 - 30%
4-chlorobenotrifluoride	98-56-6	20 - 30%
light aromatic naphtha	64742-95-6	10 - 20%
titanium dioxide	13463-67-7	10 - 20%
1,2,4 trimethylbenzene	95-63-6	5 - 10%
cumene	98-82-8	0.1 - 1%

## SECTION 4: FIRST AID MEASURES

General Advice	Show this safety data sheet to the doctor in attendance
Eyes:	Flush with plenty of cool water for at least15 minutes, holding eyelids apart for thorough irrigation. If irritation persists, get
	immediate medical attention.
Skin:	Wash affected area thoroughly with soap and water. If skin irritation persists, get immediate medical attention.
Inhalation:	Move to fresh air. Restore breathing. If breathing is difficult, get immediate medical attention.
Ingestion:	Do not induce vomiting – seek immediate medical attention.
Notes to Physician	Treat symptomatically

## SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific Hazards	Closed containers may rupture if exposed to fire or extreme heat.
arising from the	
Chemical	
Special protective	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective
Equipment:	gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Use personal protective equipment. Remove all sources of ignition.
Environmental	Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from
Precautions	entering drains. Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages
	cannot be contained.
Methods for Clean-up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface
	thoroughly.
Other Information	None known

## SECTION 7 : HANDLING & STORAGE

Handling: Use only in area provided with appropriate exhaust ventilation. Do not breathe vapors or spray mist. Wear appropriate personal protective equipment. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from open flames, hot surfaces and sources of ignition.
 Storage: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat. Keep in properly labeled containers.

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

\_\_\_\_\_

# Product Name: OPTILON, BLUE ICE Product Code: 852

HMIS is a Health, Flammability and Reactivity rating: 2\*21 HMIS CODE: 4 – SEVERE HAZARD, 3 – SERIOUS HAZARD, 2 – MODERATE HAZARD, 1 – SLIGHT HAZARD, 0 – MINIMAL HAZARD, \* – Chronic Hazard Note: The PPE rating has intentionally been left blank. Choose appropriate PPE that will protect employees from the hazards the material will present under the actual conditions of use.

Exposure Limits				
Hazardous Components	OSHA PEL		ACGIH TLV	
nepheline syenite	5 ppm (R)		NE	
4-chlorobenotrifluoride	NE		NE	
light aromatic naphtha	NE		NE	
titanium dioxide	15 mg/m3		10 mg/m3	
1,2,4 trimethylbenzene	25 ppm		25 ppm	
cumene	50 ppm		50 ppm	
NE = None established NA = Not a	available (C) = Ceiling limit	(I) = Inhalable fraction	(IFV) = Inhalable fraction and vapor	STEL = Short term exposure limit

(R) = Respirable fraction

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective	
Equipment	
Eyes/Face:	Safety goggles or full face shield
Skin:	Protective gloves and impervious clothing.
Respiratory Protection:	In operations where exposure limits are exceeded, use a NIOSH approved respirator that has been selected by a technically qualified person for the specific work conditions. When spraying the product or applying in confined areas, wear a NIOSH approved respirator specified for paint spray or organic vapors.

**Hygiene Practices:** 

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling. When using do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	liquid		
Odor:	Solvent odor	Odor threshold:	Not determined
VOC lb/gal	2.16	VOC (g/L)	259.30
VOC (lb/gal) less exempt	2.77	VOC (g/L) less exempt	332.06
Relative Density (LB/GAL	.): 11.96	Specific Gravity (g/L):	1.44
Flash Point (F):	110		
Flammability:	Not determined	Upper/lower flammability limits:	Not available
Auto-ignition temperature:	Not determined	Decomposition temperature:	Not determined
Evaporation rate :	Not available		
Vapor Pressure (mmHg) :	Not available	Vapor Density :	Not available
Initial Boiling Point (F):	Not available	Boiling Point Range (F):	Not available
Freezing Point (F):	Not determined	Melting Point (F):	Not determined
pH	Not available	Viscosity	Not available
Solubility (ies):	Not determined		
Partition coefficient: n-	Not determined		
octanol/water			

## SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:	Stable under normal conditions. Hazardous polymerization does not occur.
Conditions to Avoid:	Keep away from open flames, hot surfaces, static electricity and sources of ignition.
Materials to Avoid:	Incompatible with strong acids and bases and strong oxidizing agents.
Hazardous Decomposition Products:	Thermal decomposition can lead to release of irritating gases and vapors.
Possibility of Hazardous Reactions:	None under normal conditions of use.

## SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity			
Component	LD50 Oral mg/kg (Rat)	LD50 Dermal mg/kg (Rabbit)	LC50 Inhalation mg/L (Rat, 4 hr.)
nepheline syenite	NA	NA	NA
4-chlorobenotrifluoride	NA	NA	NA

# SAFETY DATA SHEET

# Product Name: OPTILON, BLUE ICE Product Code: 852

Date issued: 2/28/2018

light aromatic naphtha	8,400	NA	NA	
titanium dioxide	10,000	10,000	6.82	
1,2,4 trimethylbenzene	5,000	18,000	NA	
cumene	NA	NA	NA	
Component	dicates whether each agency has listed any IARC	ingredient as a carcinogen: NTP	OSHA	
titanium dioxide	2B – Possible Human Carcinogen	Not listed	Listed	
cumene	2B - Possible Human Carcinogen	Not listed	Listed	

Per IARC Summary of Data Reported, Subsection 5.1: No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints.

### SECTION 12 : ECOLOGICAL INFORMATION

No ecological information available

#### SECTION 13 : DISPOSAL CONSIDERATION

Waste Disposal Method Dispose of in accordance with federal, state, provincial, and local regulations. Local requirements may vary, consult your sanitation department or state-designated environmental protection agency for more disposal options.

### SECTION 14 : TRANSPORT INFORMATION

Contact the manufacturer for shipping information.

### **SECTION 15 : REGULATORY INFORMATION**

US TSCA:

### Yes – All components are listed or exempt

## Federal Regulations

cucial Regulations	
ARA 311/312 hazardous categorization	
A outo Health Hazard	v

Acute Health Hazard	YES
Chronic Health Hazard	YES
Fire Hazard	NO
Sudden Release of Pressure Hazard	NO
Reactive Hazard	NO

#### **SARA 313**

Section 313 OF Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). If listed below, this product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Designation	Cas No.	Weight %
1,2,4 trimethylbenzene	95-63-6	5 - 10%

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPS)

Chemical Designation	Cas No.	Weight %
cumene	98-82-8	0.19

Any Target HAP listed in this section is not an OSHA Carcinogen unless listed as such in Section 11 under Chronic Toxicity.

#### State Regulations

#### California Proposition 65

This product may contain small amounts of materials known to the state of California to cause cancer or reproductive harm.

### **SECTION 16 : OTHER INFORMATION**

Date issued: 2/28/2018 VER 06

The above Information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith. No warranty is implied with respect to the quality or the specification of the product and the user must satisfy himself that the product is entirely suitable for his purposes.

# SAFETY DATA SHEET

Product Name: OPTILON, BLUE ICE Product Code: 852 \_\_\_\_\_

Date issued: 2/28/2018