

# SAFETY DATA SHEET

#### 1. Identification

Product identifier LATICRETE HYDRO BAN Adhesive & Sealant

Other means of identificationNot available.Recommended useSealant.Recommended restrictionsNone known.

Manufacturer / Importer / Supplier / Distributor information

Company Name
 LATICRETE International
Address 1 Laticrete Park, N

Bethany, CT 06524

Telephone (203)-393-0010
Contact person Steve Fine
Website www.laticrete.com

Emergency phone number

Call CHEMTREC day or night
USA/Canada - 1.800.424.9300
Mexico - 1.800.681.9531

Outside USA/Canada 1.703.527.3887

# 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement None.

**Precautionary statement** 

PreventionObserve good industrial hygiene practices.ResponseNo specific first aid measures noted.StorageStore away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

# 3. Composition/information on ingredients

# Mixtures

Chemical name	CAS number	% 65-70	
Limestone	1317-65-3		
Titanium dioxide	13463-67-7	0-9	
Carbon black	1333-86-4	0-1	

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if any discomfort continues.

**Skin contact** Wash skin with soap and water. Get medical attention if symptoms occur.

Eye contact Flush eyes thoroughly with water for at least 15 minutes. Get medical attention if symptoms

persist.

**Ingestion** Rinse mouth. Do not induce vomiting. Get medical attention if any discomfort continues.

916963 Version #: 01 Revision date: - Issue date: 07-November-2013

Most important symptoms/effects, acute and delayed

Symptoms include redness, itching and pain.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

**Environmental precautions** 

Environmental manager must be informed of all major releases.

# 7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool and well-ventilated place.

## 8. Exposure controls/personal protection

# Occupational exposure limits

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3	
Limestone (CAS 1317-65-3)	PEL	5 mg/m3 15 mg/m3	Respirable fraction. Total dust.
Titanium dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.

### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

### US NIOSH Pocket Guide to Chemical Hazards: Recommended exposure limit (REL)

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	0.1 mg/m3	
Limestone (CAS 1317-65-3)	TWA	5 mg/m3 10 mg/m3	Respirable. Total

LATICRETE HYDRO BAN Adhesive & Sealant

SDS US

916963 Version #: 01 Revision date: - Issue date: 07-November-2013

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

controls

levels below recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Risk of contact: Wear protective gloves and goggles/face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant clothing

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material considerations

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

**Physical state** Solid. **Form** Paste. Color Off-white. Odor Not available. Not available. **Odor threshold** Not available. pН Not available. Melting point/freezing point Not available. Initial boiling point and boiling

range

Not available. Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density

1.3 - 1.7 Relative density

Insoluble in water. Solubility(ies) **Partition coefficient** 

(n-octanol/water)

Not available.

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Viscosity

# 10. Stability and reactivity

Reactivity The product is stable and non reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Oxidizing agents.

Hazardous decomposition

products

Carbon dioxide (CO2). Carbon monoxide.

LATICRETE HYDRO BAN Adhesive & Sealant

916963 Version #: 01 Revision date: - Issue date: 07-November-2013

# 11. Toxicological information

Information on likely routes of exposure

May cause discomfort if swallowed. Ingestion Not likely, due to the form of the product. Inhalation

Skin contact May cause skin irritation. Eve contact May cause eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Symptoms include redness, itching and pain.

#### Information on toxicological effects

May cause discomfort if swallowed. Acute toxicity

Skin corrosion/irritation May cause skin irritation on prolonged or repeated contact.

Serious eye damage/eye

irritation

May cause eye irritation on direct contact.

Respiratory sensitization No data available. Skin sensitization Not a skin sensitizer.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Inhalation of carbon black or titanium dioxide dust may cause cancer, however due to the physical

form of the product, inhalation of dust is not likely.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans. Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Reproductive toxicity Specific target organ toxicity single exposure

No data available. No data available.

Specific target organ toxicity -

repeated exposure

No data available.

Not classified. **Aspiration hazard Chronic effects** No data available.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product. No data available for this product.

Bioaccumulative potential

Mobility in soil Not available

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

### 14. Transport information

### DOT

Not regulated as a hazardous material by DOT.

#### ΙΔΤΔ

Not regulated as a dangerous good.

# **IMDG**

Not regulated as a dangerous good.

SDS US

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

## 15. Regulatory information

**US federal regulations** 

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug Not regulated.

Administration (FDA)

**US state regulations** WARNING: This product contains chemicals known to the State of California to cause cancer.

## **US. Massachusetts RTK - Substance List**

Carbon black (CAS 1333-86-4) Limestone (CAS 1317-65-3) Titanium dioxide (CAS 13463-67-7)

## US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

#### US. Pennsylvania RTK - Hazardous Substances

Carbon black (CAS 1333-86-4) Limestone (CAS 1317-65-3) Titanium dioxide (CAS 13463-67-7)

### **US. Rhode Island RTK**

Not regulated.

## **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

# US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Carbon black (CAS 1333-86-4) Titanium dioxide (CAS 13463-67-7)

## **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes

Country(s) or region Inventory name On inventory (yes/no)\* Europe European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS) Japan Yes Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes Philippines Philippine Inventory of Chemicals and Chemical Substances Yes (PICCS)

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

**Issue date** 07-November-2013

Revision date - 01

United States & Puerto Rico

**NFPA Ratings** 



References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS)

**Disclaimer** The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).