7534 W Madison St Tolleson AZ 85353 888.440.3320 www.prefdeck.com info@prefdeck.com

MATERIAL SAFETY DATA SHEET

DECORATIVE STAIN BASE

ACGIH TLV N/A

Page: 1

PRODUCT NAME: DECORATIVE STAIN BASE

HMIS CODES: H F R P 1 0 0 G

MANUFACTURER'S NAME:	PREFERRED DECK SYSTEMS LLC
ADDRESS:	7534 W MADISON ST
	TOLLESON AZ 85353

EMERGENCY PHONE:	(602) 909-6199, (602) 361-8100	DATE PRINTED:	8/11/08
INFORMATION PHONE:	888-440-3320	NAME OF PREPARER:	RUSTY GONZALES

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE mmHg @ TEMP	WEIGHT PERCENT
BENZYL ALCOHOL OSHA PEL N/A OSHA VPEL N/A OSHA VPEL N/A ACGIH TLV N/A	100-51-6		1.14

* Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372. N/A

BOILING RANGE:n/aSPECIFIC GRAVITY (H20=1):1.01VAPOR DENSITY:HEAVIER THAN AIREVAPORATION RATE:SLOWER THAN ETHERCOATING V.O.C.:0.74 lb/ glSOLUBILITY IN WATER:DILUTABLEAPPEARANCE AND ODOR:VISCOUS WHITE OR COLORED OPAQUE LIQUID HAVING A MILD ODOR

FLASH POINT: n/a	METHOD USED: n/a	
FLAMMABLE LIMITS IN AIR BY VOLUME-	LOWER: n/a	UPPER: n/a

EXTINGUISING MEDIA: FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, AND WATER FOG

SPECIAL FIREFIGHTING PROCEDURES

WEAR SELF CONTAINED BREATHING APPARATUS TO AVOID INHALATION OF SMOKE OR VAPORS

MATERIAL SAFETY DATA SHEET

DECORATIVE STAIN BASE

Page: 2

UNUSUAL FIRE AND EXPLOSION HAZARDS

CLOSED CONTAINERS CAN RUPTURE WHEN EXPOSED TO EXTREME HEAT

MATERIAL CAN SPLATTER AT TEMPERATURES ABOVE 212 F

STABILITY: STABLE CONDITIONS TO AVOID

EXCESSIVE HEAT OR FREEZING

INCOMPATIBILITY (MATERIALS TO AVOID)

MATERIALS WHICH ARE WATER REACTIVE, STRONG ALKALINE, OR STRONG ACIDIC

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

AFTER EVAPORATION OF WATER, POLYMER CAN BURN AND PRODUCE CARBON MONOXIDE AND CARBON DIOXIDE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

HEADACHE, NAUSEA, AND IRRITATION OF NOSE, THROAT, AND LUNGS

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

IRRITATION OF SKIN AND EYES

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

NONE RECOGNIZED

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

MATERIAL CAN BE HARMFUL IF INGESTED

NAUSEA, DIARRHEA, AND GASTROINTESTINAL IRRITATION

HEALTH HAZARDS (ACUTE AND CHRONIC)

NONE RECOGNIZED

CARCINOGENICITY:	NTP CARCINOGEN:	No	IARC MONOGRAPHS: No	OSHA REGULATED:	Yes
N/A					

MEDICAL CONDITIONS GENERALLY AGGREVATED BY EXPOSURE

RESPIRATORY CONDITIONS, HEADACHES, NAUSEA, AND DIZZINESS

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: OBTAIN MEDICAL ATTENTION AT ONCE

EYE CONTACT: FLUSH WITH CLEAN WATER FOR FIFTEEN MINUTES AND OBTAIN MEDICAL ATTENTION

INHALATION: REMOVE TO FRESH AIR AND OBTAIN MEDICAL ATTENTION

MATERIAL SAFETY DATA SHEET

DECORATIVE STAIN BASE

Page: 3

SKIN CONTACT: WASH WITH SOAP AND WATER. OBTAIN MEDICAL ATTENTION IF IRRITATION IS SEVERE OR PERSISTENT

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

IMMEDIATELY SOAK UP SPILL WITH ABSORBANT MATERIAL SUCH AS RAGS, CLAY, SAND, ETC.

LARGE SPILLS SHOULD BE DIKED AND TRANSFERRED TO A SAFE CONTAINER

WASTE DISPOSAL METHOD

DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

DO NOT DROP OR PUNCTURE CONTAINER

DO NOT EXPOSE TO FREEZING TEMPERATURE

DO NOT EXPOSE TO HIGH TEMPERATURE

OTHER PRECAUTIONS

NONE RECOGNIZED

REPIRATORY PROTECTION

USE OF A NIOSH APPROVED CARTRIDGE REPIRATOR IS RECOMMENDED

USE OF A SELF-CONTAINED BREATHING APPARAUS IS RECOMMENDED WHEN VENTILATION IS POOR OR LIMITED

VENTILATION

LOCAL EXHAUST AND GOOD GENERAL VENTILATION RECOMMENDED

PROTECTIVE GLOVES

CHEMICAL RESISTANT PLASTIC OR RUBBER GLOVES

EYE PROTECTION

SAFEY GOGGLES

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

IMPERVIOUS CLOTHING SUFFICIENT TO PREVENT SKIN CONTACT

WORK/ HYGIENIC PRACTICES

AVAILABILITY OF SOAP AND CLEAN WATER FOR WASHING AND EYE FLUSH

AVAILABILITY OF CLEAN CHANGE OF CLOTHES

AVAILABILITY OF BARRIER CREAMS AND LOTIONS

TO THE BEST OF OUR KNOWLEDGE THIS INFORMATION IS ACCURATE. HOWEVER WE DO NOT GUARANTEE ITS ACCURACY AND CANNOT BE LIABLE FOR ANY DAMAGES ACTUAL OR CONSEQUENTIAL WHICH MIGHT RESULT FROM RELIANCE THEREON.