

SAFETY DATA SHEET

Scalemaster

Page: 1
Printed: 07/13/2015
Revision: 06/10/2015

1. Product and Company Identification

Product Code: 12182
Product Name: Scalemaster
Company Name: Ronaleen Distributing Company
655 Fielder Lane
Grants Pass, OR 97526
Phone Number: (541)582-0046
Emergency Contact: Infotrac (800)535-5053
Infotrac Contract # 107470
Recommended Use: swimming pool tile cleaner
Additional Information: TTRR

2. Hazards Identification

Acute Toxicity: Oral, Category 3
Skin Corrosion/Irritation, Category 1B
Target Organ Systemic Toxicity (single exposure), Category 3



GHS Signal Word: **Danger**
GHS Hazard Phrases: Toxic if swallowed.
Causes severe skin burns and eye damage.
May cause respiratory irritation.
GHS Precaution Phrases: Wash hands thoroughly after handling.
Keep out of reach of children.
Do not eat, drink or smoke when using this product.
Do not breathe dust, fumes, mist, vapors, spray.
Wear protective gloves, protective clothing, eye protection, face protection.
Use only outdoors or in a well-ventilated area.
Avoid breathing fumes and spray mist.
GHS Response Phrases: If swallowed: Immediately call a Poison Center or doctor.
If on skin (or in hair): Take off immediately all contaminated clothing. Rinse skin with water.
Wash contaminated clothing before reuse.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Call a POISON CENTER or doctor/physician if exposed or you feel unwell.
GHS Storage and Disposal Phrases: Store in cool dry place at room temperature away from direct sunlight.
Dispose of contents and container according to the local, city, state and federal regulations.

SAFETY DATA SHEET

Scalemaster

Page: 2

Printed: 07/13/2015

Revision: 06/10/2015

Potential Health Effects (Acute and Chronic):	Chronic inhalation and ingestion may cause chronic fluoride poisoning (fluorosis) characterized by weight loss, weakness, anemia, brittle bones, and stiff joints. May cause digestive tract disturbances. Effects may be delayed.
Inhalation:	Causes chemical burns to the respiratory tract.
Skin Contact:	Causes skin irritation. May be harmful if absorbed through the skin. May penetrate the skin and cause severe tissue and bone destruction. Avoid any skin contact.
Eye Contact:	Causes eye burns. May cause chemical conjunctivitis and corneal damage. Avoid any eye contact.
Ingestion:	Causes gastrointestinal tract burns. Causes severe digestive tract burns with abdominal pain, vomiting, and possible death. Inorganic fluorides can be harmful. Acute exposure to fluorine compounds can lead to digestive tract burns, and abdominal pain. Fluoride can reduce calcium levels leading to fatal hypocalcemia. May cause systemic effects.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
7647-01-0	Hydrochloric acid	Proprietary
1341-49-7	Ammonium bifluoride	Proprietary
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	Proprietary

4. First Aid Measures

Emergency and First Aid Procedures:

In Case of Inhalation:	Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation.
In Case of Skin Contact:	Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid. Wash clothing before reuse. Destroy contaminated shoes.
In Case of Eye Contact:	Get medical aid immediately. Do NOT allow victim to rub eyes or keep eyes closed. Extensive irrigation with water is required (at least 30 minutes).
In Case of Ingestion:	Get medical aid immediately. Never give anything by mouth to an unconscious person. Get medical aid. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water. Wash mouth out with water. If victim is conscious and alert, give 2-4 cupfuls of milk or water.
Note to Physician:	Treat symptomatically and supportively.

SAFETY DATA SHEET

Scalemaster

Page: 3
Printed: 07/13/2015
Revision: 06/10/2015

5. Fire Fighting Measures

Flash Pt: NP

Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.

Autoignition Pt: NP

Suitable Extinguishing Media: CO2, dry foam, water.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Contact with metals may evolve flammable hydrogen gas.

Flammable Properties and Hazards: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Do not let this chemical enter the environment. Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Provide ventilation. Avoid generating dusty conditions.

7. Handling and Storage

Precautions To Be Taken in Handling: Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Avoid breathing dust, vapor, mist, or gas. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Wash clothing before reuse. Wash thoroughly after handling. Minimize dust generation and accumulation. Discard contaminated shoes. Use only with adequate ventilation.

Precautions To Be Taken in Storing: Store in a cool, dry place. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7647-01-0	Hydrochloric acid	CEIL: 5 ppm	CEIL: 2 ppm)	No data.
1341-49-7	Ammonium bifluoride	No data.	No data.	No data.
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	No data.	No data.	No data.

Respiratory Equipment (Specify Type): Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye Protection: Goggles and face shield.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.): Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

SAFETY DATA SHEET

Scalemaster

Page: 4
Printed: 07/13/2015
Revision: 06/10/2015

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid
Appearance and Odor: Colorless viscous liquid with acrid odor.
Melting Point: NE
Boiling Point: >= 212.00 F
Decomposition Temperature: NE
Autoignition Pt: NP
Flash Pt: NP
Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.
Specific Gravity (Water = 1): 1.090
Density: ~ 9.09 LB/GA
Bulk density: NE
Vapor Pressure (vs. Air or mm Hg): NE
Vapor Density (vs. Air = 1): > 1
Evaporation Rate: NE
Solubility in Water: 100%
Saturated Vapor Concentration: NE
Viscosity: ~ 400 cps - 500 cps
pH: < 1.0
Percent Volatile: No data.
VOC / Volume: 0.0000 G/L
Particle Size: NE
Heat Value: NE
Corrosion Rate: NE

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: Incompatible materials, Metals. Excess heat, dust generation, Moisture.
Incompatibility - Materials To Avoid: Strong oxidizing agents, Reacts with most common metals to produce hydrogen gas. Is corrosive to many materials including leather, rubber, and many organics. acids, Bases.
Hazardous Decomposition Or Byproducts: hydrogen gas. Carbon monoxide, hydrogen fluoride gas. ammonia and/or derivatives.
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: None.

SAFETY DATA SHEET

Scalmaster

Page: 5
Printed: 07/13/2015
Revision: 06/10/2015

11. Toxicological Information

Toxicological Information: No data available.

Carcinogenicity/Other Information: CAS# 7664-38-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 7647-01-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 1341-49-7: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Results of PBT and vPvB assessment: No data available.

CAS# 7647-01-0:
Effective concentration to {0} % of test organisms, Brook Trout (*Salvelinus fontinalis*), 10000. UG/L, Mortality, Water temperature: 11.70 C - 15.60 C C.
Results:
No observed effect.
- Toxicity Experiments with Fish in Reference to Trade Waste Pollution. I. The Problem of Water Pollution, Belding, D.L., 1927

LC50, Western Mosquitofish (*Gambusia affinis*), adult(s), 282000. UG/L, 96 H, Mortality, Water temperature: 21.00 C - 23.00 C C, pH: 8.20.
Results:
Morphological changes.
- Toxicity to *Gambusia affinis* of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

LC50, Western Mosquitofish (*Gambusia affinis*), adult(s), 282000. UG/L, 24 H, Mortality, Water temperature: 21.00 C - 23.00 C C, pH: 8.20.
Results:
No observed effect.
- Toxicity to *Gambusia affinis* of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Quart: Limited quantity.
Gallon or higher: UN3264, Corrosive Liquid, Acidic, Inorganic, n.o.s., (Contains Hydrochloric Acid and Ammonium Bifluoride), 8, II. (Hydrochloric acid, Ammonium bifluoride)

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN3264 **Packing Group:** II



SAFETY DATA SHEET

Scalemaster

Page: 6
Printed: 07/13/2015
Revision: 06/10/2015

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: UN3264, Corrosive Liquid, Acidic, Inorganic, n.o.s., (Contains Hydrochloric Acid and Ammonium Bifluoride), 8, II.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: UN3264, Corrosive Liquid, Acidic, Inorganic, n.o.s., (Contains Hydrochloric Acid and Ammonium Bifluoride), 8, II.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: UN3264, Corrosive Liquid, Acidic, Inorganic, n.o.s., (Contains Hydrochloric Acid and Ammonium Bifluoride), 8, II.

15. Regulatory Information


CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
7647-01-0	Hydrochloric acid	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
1341-49-7	Ammonium bifluoride	CA PROP.65: No; CA TAC, Title 8: Title 8
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	CA PROP.65: No; CA TAC, Title 8: No

16. Other Information

Hazard Rating System:

HEALTH	3
FLAMMABILITY	0
PHYSICAL	0
PPE	CAps

HMIS:



Revision Date: 06/10/2015

Additional Information About This Product: No data available.

Company Policy or Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.