Revised On 01/06/2021

1 Identification of the substance and manufacturer			
Trade name: Product code: Recommended use: Uses advised against: Manufacturer/Supplier:	FLUORESCENT RED 0000200654 Paint and coatings application. Any that differs from the recommended use. Seymour of Sycamore 917 Crosby Avenue Sycamore, IL 60178 USA phone: 815-895-9101 www.seymourpaint.com	Seymour of Sycamore 3041 Dougall Avenue, Suite 503 Windsor, ONT N9E 1S3 CANADA phone: 800-435-4482 www.seymourpaint.com	
Emergency telephone number:	1-800-255-3924	· ·	
Repr. 1B H360 May damag STOT SE 3 H335 May cause r			
Additional information:			
GHS Hazard pictograms			
	$\bigvee \bigvee \bigvee \bigvee \bigvee$		
	GHS02 GHS04 GHS07 GHS08		
Signal word Hazard statements	Danger Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May damage fertility or the unborn child. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.		
Precautionary statements	May cause damage to organs through prolonged or repeated exposure. Obtain special instructions before use. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national/international regulations.		
	and the state		
3 Composition/information on in Chemical characterization: Mixtur Chemical Description:	-	w with nonhazardous additions.	
Dangerous components:			
64742-89-8 VM&P Naphtha 74-98-6 propane		<u> </u>	
1317-65-3 Calcium Carbonate		10-15%	
106-97-8 n-butane		5-10%	
108-88-3 Toluene		≥5-<10%	
64742-47-8 Mineral Spirits		1-5%	
4 First-aid measures After inhalation: After skin contact:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area v Pinace appendence for approximation under running w	with soap and water.	
After eye contact: After swallowing:	Rinse opened eye for several minutes under running w Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting.		

 After eye contact:
 Rinse opened eye for several minutes under running water. Then consult a doctor.

 After swallowing:
 Rinse out mouth and then drink plenty of water.

 Most important symptoms and effects:
 Dizziness

 Indication of any immediate medical attention needed:
 No further relevant information available.

5 Fire-fighting measures Extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray. Special hazards: Can form explosive gas-air mixtures.

(Contd. on page 2)

F

Page 2/4

Printing date 01/06/2021 Revised On 01/06/2021			
Trade name: FLUORESCENT RED			
Protective equipment for firefighters:	(Contd. of page 1) A respiratory protective device may be necessary.		
6 Accidental release measures			
Personal precautions, protective			
equipment and emergency			
procedures:	Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol.		
Methods and material for	Ose respiratory protective device against the effects of fumes/dust/aerosol.		
containment and cleaning up:	Ensure adequate ventilation. Dispose contaminated material as waste according to section 13.		
7 Handling and storage			
Precautions for safe handling Storage requirements:	Use only in well ventilated areas. Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions. Store locked up.		
8 Exposure controls/personal pro	tection		
Components with limit values that	require monitoring at the workplace:		
74-98-6 propane	· · · · ·		
PEL (USA) Long-term value: 1800 m			
REL (USA) Long-term value: 1800 m			
TLV (USA) refer to Appendix F inTLV 106-97-8 n-butane	S&BEIS DOOK; D, EX		
REL (USA) Long-term value: 1900 m	g/m³ 800 ppm		
TLV (USA) Short-term value: 2370 m			
(EX)			
108-88-3 Toluene			
PEL (USA) Long-term value: 200 ppn Ceiling limit value: 300; 5 *10-min peak per 8-hr shi	00* ppm		
REL (USA) Short-term value: 560 mg	/m ³ , 150 ppm		
TLV (USA) Long-term value: 375 mg. BEI, NIC-OTO	Long-term value: 375 mg/m³, 100 ppm TLV (USA) Long-term value: 20 ppm BEL NIC-OTO		
Hygienic protection:	Keep away from foodstuffs and animal feed. Wash hands after use.		
	Immediately remove all soiled and contaminated clothing. Wash hands after use.		
	Store protective clothing separately.		
	Avoid contact with the skin.		
	Avoid contact with the eyes and skin. Do not eat or drink while working.		
Breathing equipment:	A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be worn.		
	If you suspect overexposure conditions exist, please consult an authority on chemical hygeine.		
Hand protection:	Nitrile gloves.		
Eye protection:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles		
9 Physical and chemical propertie	'S		
Appearance:	Aerosol.		
Odor: Odor threshold:	Pleasant Not determined.		
pH-value:	Not determined.		
Melting point/Melting range Boiling point:	Undetermined. -44 °C (-47.2 °F)		
Flash point: Flammability (solid, gas):	-19 °C (-2.2 °F) Extremely flammable.		
Decomposition temperature:	Not determined.		
Auto igniting:	Product is not self-igniting.		
Danger of explosion: Lower Explosion Limit: Upper Explosion Limit:	In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol %		
Vapor pressure:	Not determined.		
Relative Density:	Between 0.77 and 0.85 (Water equals 1.00) (Contd. on page 3)		

Safety Data Sheet

Printing date 01/06/2021

Page 3/4

Revised On 01/06/2021

	(Contd. of pa
Vapor density Evaporation rate	Not determined. Not applicable.
Partition coefficient: n-octonal/wat	
Solubility: Viscosity:	Not determined. Not determined.
Water:	27.7 %
Stability and reactivity	
Reactivity: Conditions to avoid:	Stable at normal temperatures. Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreez
	temperatures.
Chemical stability: Possibility of hazardous reactions:	Not ^f ully evaluated. No dangerous reactions known.
Incompatible materials:	No further relevant information available.
Hazardous decomposition:	No dangerous decomposition products known.
Toxicological information	
Information on toxicological effect	s: No data available. Irritant to skin and mucous membranes.
Skin effects: Eye effects:	No irritating effect.
Sensitization:	No sensitizing effects known.
Ecological information	
Aquatic toxicity:	Hazardous for water, do not empty into drains.
Persistence and degradability: Other information:	The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarb
	(HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorina
Bioaccumulative potential:	solvents. No further relevant information available.
Mobility in soil:	No further relevant information available.
Other adverse effects:	No further relevant information available.
Disposal considerations	state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must
Disposal considerations Dispose of in accordance with local,	state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents.
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent:	or cut empty containers with electric or gas torches. Completely empty cans should be recycled.
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents.
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent:	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 UN1950
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es):	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 AEROSOLS, flammable 1950 AEROSOLS
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant:	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 AEROSOLS, flammable 1950 AEROSOLS 2.1 No
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user:	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 AEROSOLS, flammable 1950 AEROSOLS 2.1 No Warning: Gases
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number:	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 AEROSOLS, flammable 1950 AEROSOLS 2.1 No
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user:	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 AEROSOLS, flammable 1950 AEROSOLS 2.1 No Warning: Gases
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation":	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 AEROSOLS, flammable 1950 AEROSOLS 2.1 No Warning: Gases F-D,S-U
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation": Regulatory information SARA Section 355 (extremely haza	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 AEROSOLS, flammable 1950 AEROSOLS 2.1 No Warning: Gases F-D,S-U
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation": Regulatory information SARA Section 355 (extremely haza None of the ingredients in this produce	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 AEROSOLS, flammable 1950 AEROSOLS 2.1 No Warning: Gases F-D,S-U
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation": Regulatory information SARA Section 355 (extremely haza	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 AEROSOLS, flammable 1950 AEROSOLS 2.1 No Warning: Gases F-D,S-U
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation": Regulatory information SARA Section 355 (extremely haza None of the ingredients in this produce SARA Section 313 (Specific toxic control Act	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 AEROSOLS, flammable 1950 AEROSOLS 2.1 No Warning: Gases F-D,S-U UN1950, AEROSOLS, 2.1 rdous substances): t are listed. hemical listings):
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation": Regulatory information SARA Section 355 (extremely haza None of the ingredients in this produce SARA Section 313 (Specific toxic cont 108-88-3 Toluene Toxic Substances Control Act (TSCA): Canadian Domestic Substances List	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 AEROSOLS, flammable 1950 AEROSOLS 2.1 No Warning: Gases F-D,S-U UN1950, AEROSOLS, 2.1 rdous substances): t are listed. hemical listings): All hazardous ingredients are found on the inventory list of substances. st
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation": Regulatory information SARA Section 355 (extremely haza None of the ingredients in this product SARA Section 313 (Specific toxic control Act (TSCA): Canadian Domestic Substances List (DSL):	or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 AEROSOLS, flammable 1950 AEROSOLS 2.1 No Warning: Gases F-D,S-U UN1950, AEROSOLS, 2.1 rdous substances): t are listed. hemical listings): All hazardous ingredients are found on the inventory list of substances.
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation": Regulatory information SARA Section 355 (extremely haza None of the ingredients in this produce SARA Section 313 (Specific toxic cont 108-88-3 Toluene Toxic Substances Control Act (TSCA): Canadian Domestic Substances List (DSL): Consumer Product Safety Comission (CPSC):	Complétély empty cans should be recycled. Water, if necessary with cleansing agents. UN1950 UN1950 UN1950 AEROSOLS, flammable 1950 AEROSOLS 2.1 No Warning: Gases F-D,S-U UN1950, AEROSOLS, 2.1 rdous substances): t are listed. hemical listings): All hazardous ingredients are found on the inventory list of substances. st All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent: Transport information UN-Number DOT DOT ADR Transport hazard class(es): Class Marine pollutant: Special precautions for user: EMS Number: Packaging Group: UN "Model Regulation": Regulatory information SARA Section 355 (extremely haza None of the ingredients in this product SARA Section 313 (Specific toxic control Act (TSCA): Canadian Domestic Substances List (DSL): Consumer Product Safety	<pre>or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents.</pre>

Page 4/4

Revised On 01/06/2021

Trade name: FLUORESCENT	RED	
		(Contd. of page 3)
Prop 65 chemicals kno	wn to cause birth defects or reproductive harm:	
108-88-3 Toluene		
EPA:		
None of the ingredients i	s listed.	
16 Other information		
Contact:	Regulatory Affairs	