

# **SAFETY DATA SHEET** 5.75S MG 2FE 4MN (275GAL TOTE)

Page: 1 9/29/2021

Printed: 09/29/2021 Revision: 09/29/2021

## 1. Product and Company Identification

Product Code: 904470

**Product Name:** 5.75S MG 2FE 4MN (275GAL TOTE)

Trade Name: Liquid Fertilizer

Company Name:Turf Care Supply Corp.Phone Number:50 Pearl Road1 (330)558-0910

Suite 200

Brunswick, OH 44212

Web site address: www.turfcaresupply.com Email address: regaffairs@tcscusa.com

Emergency Contact: PERS 1 (800)633-8253

**Information:** Turf Care Supply Corp. 1 (330)558-0910

Synonyms: Liquid Fertilizer.

## 2. Hazards Identification

Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 5



GHS Signal Word: Warning

GHS Hazard Phrases: Harmful if swallowed.

May be harmful in contact with skin.

GHS Precautionary Phrases: Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

GHS Response Phrases: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Rinse mouth.

IF exposed or concerned: Get medical attention/advice.

**GHS Storage and Disposal** 

Phrases:

Store in a diked or contained area to prevent uncontrolled release to the environment.

Potential Health Effects Chronic: Prolonged or repeated skin contact may cause dermatitis. Prolonged or

(Acute and Chronic): repeated exposure may cause permanent eye damage. Chronic exposure may cause

lung damage. Adverse reproductive effects have been reported in animals.

Inhalation: May be harmful if inhaled. Low hazard for normal industrial handling. The toxicological

properties of this substance have not been fully investigated. May cause systemic effects. Material may be irritating to mucous membranes and upper respiratory tract.

**Skin Contact:** May cause skin irritation. Low hazard for usual industrial handling.

**Eye Contact:** May cause eye irritation.

Ingestion: May be harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting

and diarrhea. Low hazard for normal industrial handling. The toxicological properties of

this substance have not been fully investigated. May cause systemic effects.



## **SAFETY DATA SHEET** 5.75S MG 2FE 4MN (275GAL TOTE)

Page: 2

Printed: 09/29/2021 Revision: 09/29/2021

## 3. Composition/Information on Ingredients

 CAS #
 Hazardous Components (Chemical Name)
 Concentration

 7782-63-0
 Ferrous sulfate
 10.0 - 40.0 %

 7439-96-5
 Manganese
 5.00 - 20.0 %

 7439-95-4
 Magnesium
 5.00 - 20.0 %

### 4. First Aid Measures

**Emergency and First Aid** 

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Get medical aid.

In Case of Skin Contact: In case of contact, flush skin with plenty of water. Remove contaminated clothing and

shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.

Wash off with soap and plenty of water.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Get medical aid. Do NOT allow victim to rub eyes or keep eyes closed.

In Case of Ingestion: Get medical aid. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Call a

poison control center. If swallowed, do not induce vomiting unless directed to do so by

medical personnel. Never give anything by mouth to an unconscious person.

Signs and Symptoms Of

**Exposure:** 

To the best of our knowledge, the chemical, physical, and toxicological properties have

not been thoroughly investigated.

**Note to Physician:** Treat symptomatically and supportively.

### 5. Fire Fighting Measures

Flash Pt: No data.

**Explosive Limits:** LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Substance is noncombustible; use agent most appropriate to extinguish surrounding fire.

For small fires, use dry chemical, carbon dioxide, or water spray. For large fires, use dry

chemical, carbon dioxide, alcohol-resistant foam, or water spray.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is noncombustible. Decomposes at high temperatures, resulting in toxic and corrosive

products. Runoff from fire control or dilution water may cause pollution.

Flammable Properties and

Hazards:

No data available.

**Hazardous Combustion** 

No data available.

**Products:** 



## **SAFETY DATA SHEET 5.75S MG 2FE 4MN (275GAL TOTE)**

Page: 3

Printed: 09/29/2021 Revision: 09/29/2021

#### 6. Accidental Release Measures

Protective Precautions, Protective Equipment and Splash proof safety goggles.

**Emergency Procedures:** 

**Environmental Precautions:** Avoid release to the environment.

Do not let product enter drains.

Steps To Be Taken In Case Material Is Released Or

Spilled:

Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Avoid runoff into storm sewers and ditches which lead to waterways. Do not

let this product enter the environment except as directed on product label. Clean up spills

immediately, observing precautions in the Protective Equipment section.

Personal precautions.

Use personal protective equipment.

PROCEDURES & PERSONAL PRECAUTIONS.

Exercise appropriate caution to avoid contact with skin and eyes, and avoid breathing

vapors, fumes, and mist.

Methods for cleaning up.

Ventilate area and wash spill site after material pickup is complete.

## 7. Handling and Storage

Precautions To Be Taken in Handling:

Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Use only in a well-ventilated

area. Keep container tightly closed. Wash clothing before reuse.

Precautions To Be Taken in

Keep container closed when not in use.

Storing:

8. Exposure Controls/Personal Protection				
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7782-63-0	Ferrous sulfate	No data.	TWA: 1 mg/m3	No data.
7439-96-5	Manganese	CEIL: 5 mg/m3	TLV: 0.02 mg/m3 (resp.) 0.1 mg/m3 (IHL)	No data.
7439-95-4	Magnesium	No data.	No data.	No data.
Page instant Facilities at Americatory protection program that mosts OCITAL 20 CER 1010 124 and ANCI 700 2				

Respiratory Equipment (Specify Type):

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace

conditions warrant respirator use. For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or

type ABEK-P2 (EU EN 143) respirator cartridges.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Wash and dry hands.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

**Engineering Controls** Facilities storing or utilizing this material should be equipped with an eyewash facility and (Ventilation etc.): a safety shower.

Work/Hygienic/Maintenance Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday. Wash thoroughly after handling. Practices:

**GHS** format



Hazardous Reactions:

# SAFETY DATA SHEET 5.758 MG 2FE 4MN (275GAL TOTE)

Page: 4

Printed: 09/29/2021 Revision: 09/29/2021

	9. Physical and Chemical Properties
Physical States:	[ ] Gas [ X ] Liquid [ ] Solid
Appearance and Odor:	Clear. colored.
	Ammoniacal odor.
pH:	6.0 - 7.0
Melting Point:	No data.
Boiling Point:	> 100 C
Flash Pt:	No data.
Evaporation Rate:	No data.
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: No data. UEL: No data.
Vapor Pressure (vs. Air or mm Hg):	No data.
Vapor Density (vs. Air = 1):	No data.
Specific Gravity (Water = 1):	1.1 - 1.4
Solubility in Water:	No data.
Solubility Notes:	Infinitely miscible with water.
Octanol/Water Partition	No data.
Coefficient:	
Autoignition Pt:	No data.
Decomposition Temperature:	No data.
Viscosity:	No data.
	10. Stability and Reactivity
Reactivity:	Stable. However, may decompose if heated.
Stability:	Unstable [ ] Stable [ X ]
Conditions To Avoid - Instability:	Incompatible materials, dust generation, heating to decomposition. High temperatures.
Incompatibility - Materials To Avoid:	Strong oxidizing agents, bases, acids, aluminum.
Hazardous Decomposition or Byproducts:	Carbon monoxide, oxides of nitrogen, Carbon dioxide, oxides of sulfur, nitrogen oxides (NOx) and ammonia (NH3). Nitrogen oxides, oxides of phosphorus, Ammonia, Oxides of potassium, Hydrogen chloride, chlorine, irritating and toxic fumes and gases.
Possibility of Hazardous Reactions:	Will occur [ ] Will not occur [ X ]
Conditions To Avoid -	No data available.



# **SAFETY DATA SHEET** 5.75S MG 2FE 4MN (275GAL TOTE)

Page: 5

Printed: 09/29/2021 Revision: 09/29/2021

## 11. Toxicological Information

**Toxicological Information:** Epidemiology: No information found.

Teratogenicity: No information available.

Tumorigenic effects have been reported in experimental animals.

Teratogenicity: Teratogenic effects have occurred in experimental animals. Adverse reproductive effects have occurred in experimental animals.

Neurotoxic effects have occurred in experimental animals.

Reproductive toxicity - no data available.

Inhalation: May cause damage to organs through prolonged or repeated exposure.

Carcinogenicity/Other

Carcinogenicity

Information:

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7782-63-0	Ferrous sulfate	n.a.	n.a.	n.a.	n.a.
7439-96-5	Manganese	n.a.	n.a.	n.a.	n.a.
7439-95-4	Magnesium	n.a.	n.a.	n.a.	n.a.

## 12. Ecological Information

General Ecological Information:

Environmental: If released to the atmosphere, urea will degrade rapidly in the vapor-phase by reaction with photochemically produced hydroxyl radicals (half-life of 9.6 hr). If released to soil, urea is hydrolyzed to ammonium through soil urease activity (the basis of its use as a fertilizer). The rate of hydrolysis can be fast (24 hr); however, a number of variables (such as increasing the pellet size of the fertilizer) can decrease the degradation rate.

Urea will dissolve and disperse in water, and will promote algae growth which may degrade water quality and taste. Notify downstream water users of any release that

may affect water quality.

Do not empty into drains.

Persistence and

Degradability:

No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

# 13. Disposal Considerations

Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

## **14. Transport Information**



# **SAFETY DATA SHEET** 5.75S MG 2FE 4MN (275GAL TOTE)

Page: 6

Printed: 09/29/2021 Revision: 09/29/2021

LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Not Regulated.

DOT Hazard Class: UN/NA Number:

# 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7782-63-0	Ferrous sulfate	No	Yes NA	No
7439-96-5	Manganese	No	No	Yes-Cat. N450
7439-95-4	Magnesium	No	No	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

CAS#	Hazardous Components (Chemical Name)	Other US F	PA or State Lists
[ ] Yes [X] No	(Physical) Hazard Not Otherwise Classified (HNOC)		
[ ] Yes [X] No	Combustible Dust		
[ ] Yes [X] No	In contact with water emits flammable gas	[ ] Yes [X] No	(Health) Hazard Not Otherwise Classified (HNOC)
[ ] Yes [X] No	Gas under pressure (compressed gas)	[ ] Yes [X] No	Simple Asphyxiant
[ ] Yes [X] No	Corrosive to metal	[ ] Yes [X] No	Aspiration Hazard
[ ] Yes [X] No	Organic peroxide	[ ] Yes [X] No	Specific target organ toxicity (single or repeated exposure)
[ ] Yes [X] No	Self-heating	[ ] Yes [X] No	Reproductive toxicity
[ ] Yes [X] No	Pyrophoric gas	[ ] Yes [X] No	Carcinogenicity
[ ] Yes [X] No	Pyrophoric (liquid or solid)	[ ] Yes [X] No	Germ cell mutagenicity
[ ] Yes [X] No	Self-reactive	[ ] Yes [X] No	Respiratory or Skin Sensitization
[ ] Yes [X] No	Oxidizer (liquid, solid or gas)	[ ] Yes [X] No	Serious eye damage or eye irritation
[ ] Yes [X] No	Flammable (gases, aerosols, liquid, or solid)	[ ] Yes [X] No	Skin Corrosion or Irritation
[ ] Yes [X] No	Explosive	[X] Yes [ ] No	Acute toxicity (any route of exposure)

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
7782-63-0	Ferrous sulfate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NJ EHS: No; NY Part 597: Yes: HS; PA HSL: Yes - E
7439-96-5	Manganese	CAA HAP,ODC: Yes - Cat.; CWA NPDES: Yes; TSCA: Yes - Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: Yes - Cat.; NJ EHS: Yes - 1155; NY Part 597: No; PA HSL: Yes - E
7439-95-4	Magnesium	CAA HAP,ODC: No; CWA NPDES: Yes; TSCA: Yes - Inventory; CA PROP.65: No; MA Oil/HazMat: Yes; MI CMR,

## 16. Other Information

**Revision Date:** 09/29/2021

**Hazard Rating System:** 

Flammability Instability
Health
NFPA: Special Hazard

Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1

Additional Information About No data available.

This Product:

**Company Policy or** 

Disclaimer:

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such

materials in combination with any other material or process. No warranty is expressed or

implied with respect to the completeness or ongoing accuracy of the information

contained in this data sheet, and Turf Care Supply Corp. disclaims all liability for reliance

**GHS** format



# SAFETY DATA SHEET 5.75S MG 2FE 4MN (275GAL TOTE)

Page: 7
Printed: 09/29/2021
Revision: 09/29/2021

on such information. This data sheet is not a guarantee of safety. Users are responsible
for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.
GHS format