

# **Turfgro Spreader Activator 90 Pro**

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification         1.1.       Identification         Product form       : Mixture         Product name       : Turfgro Spreader Activator 90 Pro         Product code       : 40201         1.2.       Recommended use and restrictions on use         1.3.       Supplier         Alliance Trading, Inc.       109 Northpark Bird., 4th Floor         Covington, LA 70433       7 985-801-4011         1.4.       Emergency telephone number         Emergency number       : 1-800-424-9300         Chem Trec       SECTION 2: Hazard(s) identification         2.1.       Classification         Acute toxicity (oral), Category 4       Hazardous to the aquatic environment - Acute Hazard, Category 2         Hazardous to the aquatic environment - Acute Hazard, Category 2       Have Seit ous avaite life with long lasting effects.         Full text of H statements : see section 16       Have Full to a aquatic life with long lasting effects.         Full text of H statements : necluding precautionary statements       GHS Us labelling         Hazard pictograms (GHS US)       ::       Image: Cause Seit Seit Seit Seit Seit Seit Seit Sei	Identification         pduct form       : Mi.         pduct name       : Tu         pduct code       : 40         Recommended use and restrictions on use         Supplier         iance Trading, Inc.         9 Northpark Blvd., 4th Floor         vington, LA 70433         985-801-4011         Emergency telephone number         hergency number       : 1-8         Ch	urfgro Spreader Activator 90 Pro 201			
Product form       : Mixture         Product name       : Turfgro Spreader Activator 90 Pro         Product code       : 40201         1.2.       Recommended use and restrictions on use         1.3.       Supplier         Alliance Trading, Inc.       109 Northpark Blvd., 4th Floor         Covington, LA 70433       7985-801-4011         1.4.       Emergency telephone number         Emergency number       : 1-800-424-9300         ChemTrec       ChemTrec         SECTION 2: Hazard(s) identification         2.1.       Classification of the substance or mixture         GHS-US classification       H302         Acute toxicity (oral), Category 4       H315         Skin corrosol/miritation, Category 2       H315         Hazardous to the aquatic environment — Acute Hazard, Category 2       H319         Hazardous to the aquatic environment — Chronic Hazard, Category 2       H319         Full text of H statements : see section 16       H411         2.2.       GHS Label elements, including precautionary statements         GHS US labelling       Hallong	beduct form : Mi beduct name : Tu beduct code : 40 Recommended use and restrictions on use Supplier lance Trading, Inc. 9 Northpark Blvd., 4th Floor vington, LA 70433 985-801-4011 Emergency telephone number hergency number : 1-8 Ch	urfgro Spreader Activator 90 Pro 201			
Product name : Turfgro Spreader Activator 90 Pro Product code : 40201  1.2. Recommended use and restrictions on use  1.3. Supplier Alliance Trading, Inc. 109 Northpark Bivd., 4th Floor Covington, LA 70433 T 985-801-4011  1.4. Emergency telephone number Emergency number : 1-800-424-9300 ChemTrec  SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS-US classification Acute toxicity (oral), Category 4 Skin corrosol/initiation, Category 2 Hazardous to the aquatic environment — Acute Hazard, Category 2 Hazardous to the aquatic environmen	bduct name : Tu bduct code : 40 Recommended use and restrictions on use Supplier ance Trading, Inc. 9 Northpark Blvd., 4th Floor vington, LA 70433 985-801-4011 Emergency telephone number hergency number : 1-8 Ch	urfgro Spreader Activator 90 Pro 201			
Product code : 40201  1.2. Recommended use and restrictions on use  1.3. Supplier Alliance Trading, Inc. 109 Northpark Blvd., 4th Floor Covington, LA 70433 T 985-801-4011  1.4. Emergency telephone number  Emergency number : 1-800-424-9300 ChemTrec  SECTION 2: Hazard(s) identification 2.1. Classification CHSUS classification Acute toxicity (oral), Category 2 Hazardous to the aquatic environment — Acute Hazard, Category 2 Hazardous to the aquat	educt code : 40 Recommended use and restrictions on use Supplier Fance Trading, Inc. 9 Northpark Blvd., 4th Floor vington, LA 70433 985-801-4011 Emergency telephone number hergency number : 1-8 Ch				
1.2. Recommended use and restrictions on use         1.3. Supplier         Alliance Trading, Inc.         109 Northpark Blvd., 4th Floor         Covington, LA 70433         7 985-801-4011         1.4. Emergency telephone number         Emergency number       : 1-800-424-9300         Chem Trec         SECTION 2: Hazard(s) identification         2.1. Classification of the substance or mixture         GHS-US classification         Acute toxicity (oral), Category 2         Pazardous to the aquatic environment — Acute Hazard, Category 2         Hazardous to the aquatic environment — Chronic Hazard, Category 2         Hazardous to the aquatic environment — Chronic Hazard, Category 2         Full text of H statements : see section 16         2.2. GHS Label elements, including precautionary statements         GHS US labelling	Supplier         ance Trading, Inc.       9         9 Northpark Blvd., 4th Floor       9         vington, LA 70433       9         985-801-4011       1         Emergency telephone number       1-8         hergency number       1-8         Ch       Ch				
1.3.       Supplier         Alliance Trading, Inc.       109 Northpark Blvd., 4th Floor         Covington, LA 70433       7 985-801-4011         1.4.       Emergency telephone number         Emergency number       : 1-800-424-9300 ChemTrec         SECTION 2: Hazard(s) identification         2.1.       Classification of the substance or mixture         GHS-US classification         Acute toxicity (oral), Category 4         Serious eye damage/eye irritation, Category 2         Hazardous to the aquatic environment — Acute Hazard, Category 2         Hazardous to the aquatic environment — Acute Hazard, Category 2         Hazardous to the aquatic environment — Chronic Hazard, Category 2         Full text of H statements : see section 16         2.2.       GHS Label elements, including precautionary statements         GHS US labelling	Supplier         iance Trading, Inc.         9 Northpark Blvd., 4th Floor         vington, LA 70433         985-801-4011         Emergency telephone number         hergency number       : 1-8         Ch				
Alliance Trading, Inc. 109 Northpark Blvd., 4th Floor Covington, LA 70433 T 985-801-4011 <b>1.4. Emergency telephone number</b> Emergency number : 1-800-424-9300 ChemTrec <b>SECTION 2: Hazard(s) identification</b> <b>2.1. Classification of the substance or mixture</b> <b>GHS usy labelling</b> <b>4.1. Classification</b> Acute toxicity (oral), Category 4 Hazardous to the aquatic environment — Acute Hazard, Category 2 Hazardous to the aquatic environment — Acute Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environ	ance Trading, Inc. 9 Northpark Blvd., 4th Floor vington, LA 70433 985-801-4011 Emergency telephone number hergency number : 1-8 Ch				
109 Northpark Bivd., 4th Floor         Covington, LA 70433         T 985-801-4011 <b>1.4.</b> Emergency telephone number         Emergency number       : 1-800-424-9300 ChemTrec         SECTION 2: Hazard(s) identification         2.1.       Classification of the substance or mixture         GHS-US classification         Acute toxicity (oral), Category 4 Skin corrosion/irritation, Category 2 Hazardous to the aquatic environment — Acute Hazard, Category 2 Hazardous to the aquatic environment — Acute Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hazardous to the aquatic environment — Chronic Hazardo	9 Northpark Blvd., 4th Floor vington, LA 70433 985-801-4011 Emergency telephone number hergency number : 1-8 Ch				
Covington, LA 70433 T 985-801-4011 <b>1.4. Emergency telephone number</b> Emergency number : 1-800-424-9300 ChemTrec <b>SECTION 2: Hazard(s) identification</b> <b>2.1. Classification of the substance or mixture</b> <b>GHS-US classification</b> Acute toxicity (oral), Category 4 Skin corrosion/irritation, Category 2 Hazardous to the aquatic environment — Acute Hazard, Category 2 Hazardous to the aquatic environment — Acute Hazard, Category 2 Hazardous to the aquatic environment — Acute Hazard, Category 2 Hazardous to the aquatic environment — Acute Hazard, Category 2 Full text of H statements : see section 16 <b>2.2. GHS Label elements, including precautionary statements</b> <b>GHS US labelling</b>	vington, LA 70433 985-801-4011 Emergency telephone number nergency number : 1-8 Ch				
T 985-801-4011         1.4. Emergency telephone number         Emergency number       : 1-800-424-9300 ChemTrec         SECTION 2: Hazard(s) identification         2.1. Classification of the substance or mixture         GHS-US classification         Acute toxicity (oral), Category 4         Serious eye damage/eye irritation, Category 2         Hazardous to the aquatic environment — Acute Hazard, Category 2         Hazardous to the aquatic environment — Acute Hazard, Category 2         H401         Toxic to aquatic life         Hazardous to the aquatic environment — Chronic Hazard, Category 2         Full text of H statements : see section 16         2.2. GHS Label elements, including precautionary statements         GHS US labelling	985-801-4011 Emergency telephone number hergency number : 1-4 Ch				
1.4. Emergency telephone number         Emergency number       : 1-800-424-9300 ChemTrec         SECTION 2: Hazard(s) identification         2.1. Classification of the substance or mixture         GHS-US classification         Acute toxicity (oral), Category 4         Serious eye damage/eye irritation, Category 2         Hazardous to the aquatic environment — Acute Hazard, Category 2         Hazardous to the aquatic environment — Chronic Hazard, Category 2         Hazardous to the aquatic environment — Chronic Hazard, Category 2         Full text of H statements : see section 16         2.2. GHS Label elements, including precautionary statements         GHS US labelling	Emergency telephone number nergency number : 1-6 Ch				
Emergency number       : 1-800-424-9300 ChemTrec         SECTION 2: Hazard(s) identification         2.1.       Classification of the substance or mixture         GHS-US classification         Acute toxicity (oral), Category 4         Skin corrosion/irritation, Category 2         H302         H302         H302         Serious eye damage/eye irritation, Category 2         Hazardous to the aquatic environment — Acute Hazard, Category 2         H401         Toxic to aquatic life         H411         Toxic to aquatic life with long lasting effects.         Full text of H statements : see section 16         2.2.       GHS Label elements, including precautionary statements         GHS US labelling	nergency number : 1-{ Ch				
ChemTrec SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS-US classification Acute toxicity (oral), Category 4 Skin corrosion/irritation, Category 2 Acute toxicity (oral), Category 4 Skin corrosion/irritation, Category 2 H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H31	Ch				
2.1.       Classification of the substance or mixture         GHS-US classification       H302 Harmful if swallowed.         Acute toxicity (oral), Category 4       H302 Harmful if swallowed.         Skin corrosion/irritation, Category 2       H315 Causes skin irritation.         Serious eye damage/eye irritation, Category 2       H319 Causes serious eye irritation.         Hazardous to the aquatic environment — Acute Hazard, Category 2       H401 Toxic to aquatic life         Hazardous to the aquatic environment — Chronic Hazard, Category 2       H411 Toxic to aquatic life with long lasting effects.         Full text of H statements : see section 16       Externents         2.2.       GHS Label elements, including precautionary statements         GHS US labelling       GHS US labelling	CTION 2: Hazard(s) identification				
GHS-US classification         Acute toxicity (oral), Category 4         Skin corrosion/irritation, Category 2         Serious eye damage/eye irritation, Category 2         Hazardous to the aquatic environment — Acute Hazard, Category 2         Hazardous to the aquatic environment — Chronic Hazard, Category 2         Full text of H statements : see section 16         2.2.       GHS Label elements, including precautionary statements         GHS US labelling	FION 2. Hazaru(S) identification				
Acute toxicity (oral), Category 4       H302       Harmful if swallowed.         Skin corrosion/irritation, Category 2       H315       Causes skin irritation.         Serious eye damage/eye irritation, Category 2       H315       Causes serious eye irritation.         Hazardous to the aquatic environment — Acute Hazard, Category 2       H401       Toxic to aquatic life         Hazardous to the aquatic environment — Chronic Hazard, Category 2       H411       Toxic to aquatic life         Full text of H statements : see section 16       Example to the aquatic precautionary statements       GHS Label elements, including precautionary statements	Classification of the substance or mixture				
Skin corrosion/irritation, Category 2       H315       Causes skin irritation.         Serious eye damage/eye irritation, Category 2       H315       Causes skin irritation.         Hazardous to the aquatic environment — Acute Hazard, Category 2       H319       Causes serious eye irritation.         Hazardous to the aquatic environment — Chronic Hazard, Category 2       H401       Toxic to aquatic life         Hazardous to the aquatic environment — Chronic Hazard, Category 2       H411       Toxic to aquatic life with long lasting effects.         Full text of H statements : see section 16       Example a section 16       Example a section 16         2.2.       GHS Label elements, including precautionary statements       GHS US labelling	-US classification				
Serious eye damage/eye irritation, Category 2       H319 Causes serious eye irritation.         Hazardous to the aquatic environment — Acute Hazard, Category 2       H319 Causes serious eye irritation.         Hazardous to the aquatic environment — Chronic Hazard, Category 2       H401 Toxic to aquatic life         Hazardous to the aquatic environment — Chronic Hazard, Category 2       H411 Toxic to aquatic life         Full text of H statements : see section 16       Example 16         2.2.       GHS Label elements, including precautionary statements         GHS US labelling       Example 16					
Hazardous to the aquatic environment — Acute Hazard, Category 2       H401 Toxic to aquatic life         Hazardous to the aquatic environment — Chronic Hazard, Category 2       H401 Toxic to aquatic life         Hazardous to the aquatic environment — Chronic Hazard, Category 2       H401 Toxic to aquatic life         Full text of H statements : see section 16       H401 Toxic to aquatic life with long lasting effects.         CHS Label elements, including precautionary statements       GHS US labelling					
Full text of H statements : see section 16         2.2.       GHS Label elements, including precautionary statements         GHS US labelling					
2.2. GHS Label elements, including precautionary statements GHS US labelling					
GHS US labelling	Full text of H statements : see section 16				
GHS US labelling	GHS Label elements, including precautiona	ary statements			
Hazard pictograms (GHS US)					
	zard pictograms (GHS US) :	$\wedge$ $\wedge$			
	<				
Signal word (GHS US) : Warning	inal word (GHS US)				
Hazard statements (GHS US) : H302 - Harmful if swallowed.		5			
H315 - Causes skin irritation.	`́́Н3	315 - Causes skin irritation.			
H319 - Causes serious eye irritation. H401 - Toxic to aquatic life					
H401 - Toxic to aquatic life with long lasting effects.		•			
Precautionary statements (GHS US) : P264 - Wash hands, forearms and face thoroughly after handling.					
P270 - Do not eat, drink or smoke when using this product.		<b>31</b>			
P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.					
P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.	P3	801+P312 - If swallowed: Call a poison center or doctor if you feel unwell.			
P302+P352 - If on skin: Wash with plenty of water.					
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
P321 - Specific treatment (see supplemental first aid instruction on this label).	P3	321 - Specific treatment (see supplemental first aid instruction on this label).			
P330 - Rinse mouth. P332+P313 - If skin irritation occurs: Get medical advice/attention.					
P332+P313 - If see irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.					
P362+P364 - Take off contaminated clothing and wash it before reuse.	P3	362+P364 - Take off contaminated clothing and wash it before reuse.			
P391 - Collect spillage. P501 - Dispose of contents/container to hazardous or special waste collection point, in					
		cordance with local, regional, national and/or international regulation.			
accordance with local, regional, national and/or international regulation.	ac				

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3.	.3. Other hazards which do not result in classification						
No ad	ditional information available						
2.4. Unknown acute toxicity (GHS US)							
Not ap	plicable						
SEC	TION 3: Composition/information on ingree	dients					
3.1.	Substances						
Not ap	plicable						
3.2.	Mixtures						
Na	me	Product identifier	%	GHS-US classification			
non	ylphenoxypoly(ethyleneoxy)ethanol (9EO)	(CAS-No.) 9016-45-9	20 – 60	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315			

Eye Irrit. 2, H319 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

Full text of hazard classes, H- and EUH-statements: see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effect	s (acute and delayed)
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting mea	sures	
5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Specific hazards arising fro	m the chemical	
Fire hazard	: Combustible liquid.	
Explosion hazard	: May form flammable/explosive vapour-air mixture.	
5.3. Special protective equipme	nt and precautions for fire-fighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	
<b>SECTION 6: Accidental releas</b>	e measures	
6.1. Personal precautions, prote	ctive equipment and emergency procedures	
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.1.1. For non-emergency person	nel	
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Equip cleanup crew with proper protection.	
Emergency procedures	: Ventilate area.	
06/01/0000	[N] (Faction) 2/6	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.2. **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3.	Methods and material for containmer	nt a	nd cleaning up
Method	ls for cleaning up		Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

#### 6.4. **Reference to other sections**

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep only in original container in a cool well ventilated area. Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
Storage temperature	: 25 (5 – 42) °C DO NOT FREEZE

### SECTION 8: Exposure controls/personal protection

8.1. **Control parameters** 

Turfgro Spreader Activator 90		
No additional information available		
nonylphenoxypoly(ethyleneoxy)ethanol (9EO) (9016-45-9)		
No additional information available		

#### 8.2. Appropriate engineering controls

#### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

### Hand protection:

Wear protective gloves.

### Eye protection:

Chemical goggles or safety glasses

### **Respiratory protection:**

Wear appropriate mask

#### Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties			
9.1. Information on basic	physical and chemical properties		
Physical state	: Liquid		
Colour	: Amber		
Odour	: Characteristic odour		
06/21/2023	EN (English)	3/6	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, N	larch 26, 2012 / Rules and Regulations
Odour threshold	: No data available
рН	: Not Tested
Melting point	: No data available
Freezing point	: ≤0 °C
Boiling point	: ≥ 100 °C
Flash point	: ≥ 100 °C
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Combustible liquid.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.033 g/ml
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
9.2. Other information	
VOC content	: ≤ 102.6 g/l
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Not established.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperature	S.
10.5. Incompatible materials	
Strong acids. Strong bases.	
10.6. Hazardous decomposition products	
fume. Carbon monoxide. Carbon dioxide.	
SECTION 11: Toxicological information	on and a second s
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
ATE US (oral)	1250 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
	pH: Not Tested
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: Not Tested
Respiratory or skin sensitisation	: Not classified

Germ cell mutagenicity

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - water	: Harmful to aquatic life.
nonylphenoxypoly(ethyleneoxy)ethanol (9EO	) (9016-45-9)
LC50 fish 2	7 mg/l (LC50; 96 h; Leuciscus idus)
Threshold limit algae 1	500 mg/l (EC50)
2.2. Persistence and degradability	
Turfgro Spreader Activator 90	
Persistence and degradability	Not established.
nonylphenoxypoly(ethyleneoxy)ethanol (9EC	) (9016-45-9)
Persistence and degradability	Not readily biodegradable in water.
2.3. Bioaccumulative potential	
Turfgro Spreader Activator 90	
Bioaccumulative potential	Not established.
nonylphenoxypoly(ethyleneoxy)ethanol (9EO	) (9016-45-9)
Partition coefficient n-octanol/water (Log Pow)	>4
2.4. Mobility in soil	
Other information	: Avoid release to the environment.
SECTION 13: Disposal considerations	
3.1. Disposal methods	
Product/Packaging disposal recommendations	: Dispose of contents/containers in hazardous or special waste collection point, an approved disposal plant, a licensed hazardous waste disposal contractor or authorized waste collection site in accordance with local, regional and/or international regulation, except for empty clean containers which can be disposed of as non hazardous waste.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Not applicable	
Transportation of Dangerous Goods	
Not applicable	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Transport by sea

Not applicable

### Air transport

Not applicable

SECTION 15: Regulatory information		
15.1. US Federal regulations		
nonylphenoxypoly(ethyleneoxy)ethanol (9EO) (9016-45-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
15.2. International regulations		
CANADA		
No additional information available		
EU-Regulations		
No additional information available		
National regulations		

No additional information available

15.3. US State regulations

No additional information available

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: None.

#### Full text of H-statements:

i ui	text of fi-statements.	
	H302	Harmful if swallowed.
	H315	Causes skin irritation.
	H319	Causes serious eye irritation.
	H401	Toxic to aquatic life
	H411	Toxic to aquatic life with long lasting effects.
NFPA health hazard		: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard		: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity		: 0 - Material that in themselves are normally stable, even under fire conditions.
NFPA specific hazard		: None
Haz	zard Rating	
Health		: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability		: 0 Minimal Hazard - Materials that will not burn
Physical		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection		: C
		C - Safety glasses, Gloves, Synthetic apron

#### SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.