

Page 1 of 5

TURFGRO Dimension<sup>®</sup> Plus Fertilizer

Product Name:	t Identification TURFGRO Prevents Crabgrass Plus with 0.13% Dimension <sup>®</sup>
	15-03-05
EPA Reg. Number:	32802-78 (0.13%)
Chemical Name:	Mixture. Granular Fertilizer impregnated with Dimension <sup>®</sup> herbicide (Dithiopyr).
Shipping	Not regulated by U.S. DOT for all modes of transportation within the
Information:	U.S.

Dimension is a registered trademark of Dow AgroSciences LLC.

#### Section 2: Composition/Information on Ingredients

	nation on ingit	ultillo		
Chemical Name	CAS Registry	OSHA PEL	ACGIH TLV	SARA 313
	Number			<u>Reportable</u>
Dithiopyr: 3,5- pyridinecarbothioic acid, 2- (difluoromethyl)-4-(2- methylpropyl)-6-(trifluoromethyl)- S,S-dimethyl ester	97886-45-8	None	None	No
Crystalline Silica (quartz)*	14808-60-7	$0.1 \text{ mg/m}^3$	0.1 mg/m <sup>3</sup>	No

\*May be present as a naturally occurring mineral in the fertilizer ingredients used in this formulation. The respirable portion of crystalline silica in this product is very small, and excessive inhalation is unlikely under normal conditions of use.

	ai and Onennear i topen		
Physical Form:	Granular Solid	Bulk Density:	Not established
pH:	Not applicable	Refractive Index:	Not applicable
Boiling Point:	Not applicable	Freezing Point:	Not applicable
Solubility in Water:	Partial	Viscosity:	Free-flowing granules
Vapor Pressure:	Not established	Vapor Density:	Not established
Percent Volatile:	Not established	Evaporation Rate:	Not established
Appearance and Odor:	Multi-colored granules	with a characteristic o	dor.

#### **Section 3:** Physical and Chemical Properties



TURFGRO Dimension<sup>®</sup> Plus Fertilizer

Page 2 of 5

Section 4: Fire and Expl	sion Hazard Data		
Flash Point (°F):	Not Flammable	Flash Point Method:	Not applicable
Auto Ignition Temp. (°F):	Not applicable	Burning Rate:	Not applicable
Explosive Upper Limit (U	L): Not applicable	Lower Limit (LEL):	Not applicable
Limits:			
Extinguishing Wat	r, carbon dioxide, dry cl	nemical or foam.	
Media:			
Special Firefighting Fire	fighters should wear full	protective gear and self	f-contained
	hing apparatus. Contair e from fire may be haza	1 1	ution. Fumes and
Unusual Fire or Nor Explosion Hazards:	<u>.</u>		

#### Section 5: Health Hazard Data

Primary Routes of Entry:

Inhalation, ingestion, skin or eye contact.

### Signs and Symptoms of Over-Exposure:

•	-	-		
Eye Contact:	Acute:	Slight, reversible irritation to the eye.	Chronic:	None reported.
Skin Contact:	Acute:	May cause slight mechanical irritation.	Chronic:	None reported.
Inhalation:	Acute:	Excessive inhalation of fertilizer dust may irritate nose, throat and upper respiratory tract.	Chronic:	Excessive inhalation of crystalline silica (quartz) may cause lung injury.
Ingestion:	Acute:	No specific symptoms of over-exposure to the herbicide active ingredient are known to occur. Ingestion of fertilizer components may cause nausea, vomiting, cramps, and diarrhea.	Chronic:	None reported.



TURFGRO Dimension<sup>®</sup> Plus Fertilizer

Page 3 of 5

#### **Emergency First Aid Procedures:**

Eye Contact:	Hold eyelids open and flush with lots of water for 15 minutes. If irritation persists after flushing, get medical attention.
Skin Contact:	Remove contaminated clothing and wash skin with soap and water. If irritation develops after washing, get medical attention.
Inhalation:	Remove person to fresh air. If breathing stops, give artificial respiration and get medical attention.
Ingestion:	Call a physician or poison control center. Give person 1-2 glasses of water to drink, and induce vomiting by touching back of throat with finger. If Syrup of Ipecac is available, give 1 tablespoon (15 ml) followed by 1-2 glasses of water. If vomiting does not occur within 20 minutes, repeat dosage once. Never induce vomiting or give anything by mouth to an unconscious or convulsing person. Note to physician: No specific antidote is available. Treat symptomatically.
Medical condi exposure:	tions aggravated by Existing skin irritation or lesions, asthma or pulmonary disease.
Target Organs	Prolonged or repeated overexposure may cause liver, kidney, blood

and adrenal effects, and thyroid damage.Carcinogens:Crystalline silica (quartz) component is classified as a carcinogen by<br/>NTP and IARC.

#### Section 6: Reactivity Data

Stability:	Stable
Chemical incompatibilities:	Strong oxidizers
Conditions to avoid:	None – product is stable
Hazardous Decomposition Products:	Thermal decomposition (burning) may produce CO, CO <sub>2</sub> , and NOx.
Hazardous Polymerization:	Will not occur



TURFGRO Dimension<sup>®</sup> Plus Fertilizer

Page 4 of 5

Section 7:	Accidental Release Procedures

Jection 7. Accia	cittai Release i locedules
Large Spill or Leak	Isolate and contain spill. Remove unauthorized persons from spill area.
Procedures:	Do not walk through spilled materials. Wear suitable protective gear. Carefully sweep or scoop spilled material and place in a closed, labeled container for use or disposal. Scrub contaminated surfaces with detergent and water, and collect wash water solution for proper disposal according to label directions. Do not allow spilled material to enter streams, sewers or other waters.
Small Spill or Leak Procedures:	Wear protective clothing as recommended on label. Sweep up spilled material for use according to label directions.
Waste Disposal Methods:	Consult state or local environmental agency for disposal of waste generated by a spill. Wastes from the use of this product according to label directions may be disposed as specified on product label.

Engineering Controls – Ventilation:	This product is designed for outdoor use only, and ventilation is not normally required. Local exhaust may be necessary when handling this product in an enclosed area.
Administrative Controls:	Follow all precautions and directions for use on product label.
Protective Clothing and Equipment:	Wash thoroughly after handling and before eating, drinking, smoking or using the toilet.
Respiratory Protection:	For normal handling and use, a respirator is not required. For excessively dusty conditions, use a dust mask approved by MSHA/NIOSH. See OSHA regulations in 29 CFR § 1910.134 before using any respirator or dust mask.
Eye Protection:	Good safety practices suggest the use of goggles to prevent contact with eyes.
Hand Protection:	Good safety practices suggest the use of chemical-resistant (natural rubber) gloves, to prevent skin contact.
Skin Protection:	Wear long-sleeved shirt and long trousers to reduce skin contact.
Contaminated Equipment:	Launder contaminated clothing separately from street clothes. Clean contaminated boots/shoes and other equipment with detergent and water immediately after use.
Safety Stations:	Clean water should be available to flush eyes and/or skin in case of accidental contact.

### Section 8: Exposure Controls and Personal Protection



TURFGRO Dimension<sup>®</sup> Plus Fertilizer

Page 5 of 5

Handling	Wear suitable protective gear when handling open containers. Do not
Precautions:	take internally. Avoid contact with eyes, skin or clothing. Wash
	thoroughly after handling.
Storage	Store in a locked, dry area, away from feed or food, and out of reach of
Requirements:	children, pets and domestic animals. Keep containers tightly closed
	when not in use. Store in original container only. Do not remove or
	destroy product label. Dispose of empty containers as specified on
	product label.

Revision Date: October 16, 2007 By: Wendy Danowski, Director of Regulatory Affairs This information is believed to be accurate at the time of publication. No warranty, guarantee or representation, expressed or implied, is made with regard to this information. Because this information may not be adequate for every application, the user must determine the suitability of the information, and may need additional information due to the manner/conditions of use, storage, state or local regulations.