HAVILAND CONSUMER PRODUCTS, INC SAFETY DATA SHEET



Section 1: Identification

Product Name: Proteam 3" Pure Tabs Product Code: C002419

Haviland Consumer Products, Inc. 421 Ann Street NW Grand Rapids, MI 49504

(616) 361-6691

Emergency Phone CHEMTREC (800) 424-9300

CHEMTREC International (703) 527-3887

Product Use: NA

Not recommended for: NA

Section 2: Hazard(s) Identification

GHS Ratings:

Oxidizing solid	2	Oxidizing solid class 2
Oral Toxicity	Acute Tox. 4	Oral>300+<=2000mg/kg
Skin corrosive	1A	Destruction of dermal tissue: Exposure < 3 min. Observation < 1 hour, visible necrosis in at least one animal
Eye corrosive	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5
Organ toxin single exposure	3	Transient target organ effects- Narcotic effects- Respiratory tract irritation

Aquatic toxicity A1 Acute toxicity <= 1.00 mg/l

GHS Hazards

H272	May intensify fire; oxidizer
H302	Harmful if swallowed
H314	Causes severe skin burns and
	eye damage
H318	Causes serious eye damage
H336	May cause drowsiness or
	dizziness
H400	Very toxic to aquatic life

GHS Precautions

P210	Keep away from heat/sparks/open flames/hot surfaces – No smoking
P220	Keep/Store away from clothing and
	other combustible materials
P221	Take any precaution to avoid mixing
	with combustibles
P260	Do not breathe
	dust/fume/gas/mist/vapors/spray
P261	Avoid breathing
	dust/fume/gas/mist/vapors/spray
P264	Wash face, hands, and any exposed
	skin thoroughly after handling
P270	Do not eat, drink or smoke when using
	this product
P271	Use only outdoors or in a well-ventilated
	area
P273	Avoid release to the environment
P280	Wear protective gloves/protective
	clothing/eye protection/face protection
P310	Immediately call a POISON CENTER or
	doctor/physician
P312	Call a POISON CENTER or
	doctor/physician if you feel unwell
	accton projection in you roof artwell

SDS for: 1.C002419.PL50.Std.4 Page 1 of 6

P321 Specific treatment (see first aid treatment on SDS) P330 Rinse mouth P363 Wash contaminated clothing before reuse P391 Collect spillage P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell P301+P330+P33 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting P303+P361+P35 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P305+P351+P33 IF IN EYES: Rinse cautiously with 8 water for several minutes. Remove contact lenses if present and easy to do – continue rinsing P370+P378 In case of fire: Use suitable media for extinction P405 Store locked up P403+P233 Store in a well ventilated place. Keep container tightly closed P501 Dispose of contents/container in accordance with local/regional/national/international regulations

Danger



Section 3: Composition/Information on Ingredients

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Trichloroisocyanuric acid			
87-90-1			
90 to 100%			

Section 4: First-aid Measures

Inhalation

Rescuers should put on appropriate protective gear. Remove from area of exposure. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep victim warm. Get immediate medical attention. To prevent aspiration, keep head below knees.

Eve Contact

Immediately flush eyes with water. Flush eyes with water for a minimum of 15 minutes, occasionally lifting and lowering upper lids. Get medical attention promptly.

Skin Contact

Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash clothing separately and clean shoes before reuse.

SDS for: 1.C002419.PL50.Std.4 Page 2 of 6

Ingestion

If swallowed, do NOT induce vomiting. Give victim a glass of water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

Section 5: Fire-fighting Measures

Flash Point: 250 C (482 F)

LEL: UEL:

Extinguishing Media

Use water. Do not use dry chemical extinguisher containing ammonia compounds.

Specific Hazards Arising from the Chemical

Material does not burn but is an oxidizing agent and will support combustion of other materials.

Special Protective Equipment and Precautions for Firefighters

Special Information: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

Section 6: Accidental Release Measures

Spill and Leak Procedures

Sweep and fully collect the spilled product. If there is some non-polluted product left, separate it from the rest and collect it into a clean container with inner plastic bag. Contaminated product must be destroyed.

Section 7: Handling and Storage

Handling Procedures

Use with adequate ventilation. Avoid breathing dusts, mists, and vapors. Do not get in eyes, on skin, or on clothing. Wear eye protection and protective clothing. Wash thoroughly after handling.

Pesticide Storage: Keep this product dry in a tightly sealed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding the container

Section 8: Exposure Control/Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Trichloroisocyanuric acid			
87-90-1			

RESPIRATORY PROTECTION: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant the use of a respirator.

SKIN PROTECTION: Wear impervious protective gloves. Wear protective gear as needed - apron, suit, boots.

EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield.

OTHER PROTECTIVE EQUIPMENT: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

HYGENIC PRACTICES: Do not eat, drink, or smoke in areas where this material is used. Avoid breathing vapors. Remove contaminated clothing and wash before reuse. Wash thoroughly after handling. Wash hands before eating.

Section 9: Physical and Chemical Properties

Boiling range: Unknown	Flash point: Unknown
Evaporation rate: Unknown	Flammability: Unknown

SDS for: 1.C002419.PL50.Std.4 Page 3 of 6

Explosive Limits: Unknown

Autoignition temperature: Unknown

Viscosity: Unknown

Appearance: White powder

compressed into tablets

Vapor Pressure: Unknown

Vapor Density: Unknown

Density: Unknown

Freezing point: Unknown

Specific Gravity Unknown

Decomposition temperature: Unknown

Grams VOC less water: Unknown

Odor: Slight chlorine odor

Odor threshold: Unknown

pH: 2.7 - 3.3 (1% solution)

Melting point: 225°C (decomposes)

Solubility: 12 g/liter @ 25°C

Section 10: Stability and Reactivity

Chemical Stability:

STABLE

Incompatibile Materials

Product attacks metals in general. It reacts with water, oxidant and reducing agents, acids, alkalis, nitrogen products, ammonium salts, urea, amines, quaternary ammonium derivatives, oils, fats, peroxides, cationic tensioactives, etc.

Conditions to Avoid

Humidity and temperatures over 40°C.

Hazardous Decomposition Products

In combination with the above mentioned products, it decomposes and gives off a great quantity of heat, chlorine, nitrogen trichloride, chlorine oxides, etc. with subsequent danger of explosion

Hazardous Polymerization

Hazardous polymerization will not occur.

Section 11: Toxicology Information

Mixture Toxicity

Oral Toxicity LD50: 410mg/kg

Routes of Entry:

Inhalation

Ingestion

Skin contact

Eye contact

Effects of Overexposure

Emergency Overview

Harmful by ingestion. Causes burns in contact with the skin and eyes.

Acute Health Effects

Contact with the skin may cause redness, strong burning sensation, with eventual ulceration. Contact with the eyes may cause pain and tears. Impaired vision. Ingestion may cause abdominal pain, nausea, general weakness. Inhalation may cause sore throat, cough, nausea.

Section 12: Ecological Information

Component Ecotoxicity

SDS for: 1.C002419.PL50.Std.4 Page 4 of 6

Printed: 7/22/2015 at 2:46:59PM

96 Hr LC50 Lepomis macrochirus: 0.13 - 0.5 mg/L [static]; 96 Hr LC50

Oncorhynchus mykiss: 0.06 - 0.11 mg/L [static]

48 Hr EC50 Daphnia magna: 0.21 mg/L; 48 Hr EC50 Daphnia magna: 0.16 - 0.18

mg/L [Static]

Section 13: Disposal Considerations

Pesticide Disposal: Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Offer for recycling, if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Section 14: Transportation Informations

Refer to Bill of Lading or container label for DOT or other transportation hazard classification, if any .

Section 15: Regulatory Information

EPA Reg. No. 57787-15

FIFRA information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

DANGER

Corrosive:

Causes irreversible eye damage and skin burns.

May be fatal if absorbed through skin.

May be fatal if inhaled.

Do not breathe dust or spray mists.

Irritating to nose and throat.

Harmful if swallowed.

This pesticide is toxic to fish and aquatic organisms.

Country Regulation All Components Listed

Section 16: Other Information

Date Prepared: 7/22/2015

Reviewer Revision

Disclaimer

The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing

SDS for: 1.C002419.PL50.Std.4 Page 5 of 6

Printed: 7/22/2015 at 2:46:59PM

equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.

SDS for: 1.C002419.PL50.Std.4 Page 6 of 6

Printed: 7/22/2015 at 2:46:59PM